



บัญชียาโรงพยาบาล โรงพยาบาลยโสธร

[ปี 2564]

งานวิชาการ กลุ่มงานเภสัชกรรม

โทร. 0-4597-3900-5 ต่อ 1839

1. Gastro-intestinal system	1
1.1 Antacids and other drugs for dyspepsia	1
1.2 Antispasmodics and others drugs altering gut motility	1
1.3 Ulcer-healing drugs and drugs used in variceal bleeding	1
1.4 Drugs used in acute diarrhea	1
1.5 Laxatives	1
1.6 Local preparations for anal and rectal disorders	1
1.7 Drugs affecting intestinal secretions	1
2. Cardiovascular system	2
2.1 Positive inotropic drugs/ Cardiac Glycosides	2
2.2 Diuretics	2
2.3 Anti-arrhythmic drugs	2
2.4 Beta-adrenoceptor blocking drugs	2
2.5 Drugs affecting the renin-angiotensin system	2
and some other antihypertensive drugs	2
2.5.1 Vasodilator antihypertensive drugs	2
2.5.2 Centrally acting antihypertensive drugs	2
2.5.3 Alpha-adrenoceptor blocking drugs	2
2.5.4 Angiotensin-converting enzyme inhibitors (ACEI)	2
2.5.5 Angiotensin-II receptor antagonists (ARB)	3
2.6 Nitrates, calcium-channel blockers and other vasodilators	3
2.6.1 Nitrates	3
2.6.2 Calcium-channel blockers	3
2.6.3 Other vasodilators	3
2.7 Sympathomimetics	3
2.7.1 Inotropic sympathomimetics	3
2.7.2 Vasoconstrictor sympathomimetics	3
2.7.3 Drugs used in cardiopulmonary resuscitation	3
2.8 Anticoagulants	3
2.9 Antiplatelet drugs	3
2.10 Fibrinolytic drugs	3
2.11 Hemostatics	4
2.12 Lipid-regulating drugs	4
3. Respiratory system	4
3.1 Bronchodilators	4
3.1.1 Adrenoceptor agonists	4
3.1.2 Compound antimuscarinic bronchodilators	4
3.1.3 Theophylline	4
3.2 Corticosteroids	4
3.3 Leukotriene receptor antagonists	4
3.4 Antihistamines	4
3.5 Pulmonary surfactants	5
3.6 Cough preparations	5
3.6.1 Cough suppressants	5
3.6.2 Expectorant and demulcent cough preparations	5
3.7 Systemic nasal decongestants	5
3.8 Other respiratory preparations	5
4. Central nervous system	5
4.1 Hypnotics and anxiolytics	5
4.2 Drugs used in psychoses and related disorders	5
4.2.1 Antipsychotic drugs	5

สารบัญ

กลุ่มยา	หน้า
4.2.2 Antimanic drugs	6
4.3 Antidepressant drugs	6
4.4 Central nervous system stimulants	6
4.5 Drugs used in nausea and vertigo	6
4.5.1 Drugs used in nausea and vomiting	6
4.5.2 Drugs used in vestibular disorders	6
4.6 Analgesics and antipyretics	6
4.7 Analgesics	7
4.7.1 Opioid analgesics	7
4.7.2 Drugs for neuropathic pain	7
4.7.3 Antimigraine drugs	7
4.7.3.1 Drugs for acute migraine attack	7
4.7.3.2 Drugs used in the prophylaxis of migraine	7
4.8 Antiepileptics	7
4.8.1 Drugs used in the control of epilepsy	7
4.8.2 Drugs used in status epilepticus	8
4.9 Drugs used in movement disorders	8
4.10 Drugs used in substance dependence	8
4.10.1 Drugs used in alcohol dependence	8
4.10.2 Drugs used in smoking cessation	8
4.10.3 Drugs used in opioid dependence	8
5. Infections	8
5.1 Antibacterial	8
5.1.1 Penicillins	8
5.1.2 Cephalosporins, cephamycins and other beta-lactams	8
5.1.3 Tetracyclines	9
5.1.4 Aminoglycosides	9
5.1.5 Macrolides	9
5.1.6 Quinolones	9
5.1.7 Some other antibacterials	9
5.1.8 Sulphonamides and trimethoprim	9
5.1.9 Antituberculous drugs	10
5.1.10 Antileprotic drugs	10
5.2 Antifungal drugs	10
5.3 Antiviral drugs	10
5.3.1 Non-antiretrovirals	10
5.3.2 Antiretrovirals	10
5.3.3 Viral hepatitis	11
5.4 Antiprotozoal drugs	11
5.4.1 Antimalarials	11
5.4.2 Other antiprotozoal drugs	11
5.5 Anthelmintics	11
5.6 Antiseptics	12
6. Endocrine system	12
6.1 Drugs used in diabetes	12
6.1.1 Insulins	12
6.1.2 Oral antidiabetic drugs	12
6.2 Thyroid and antithyroid drugs	12
6.2.1 Thyroid hormones	12
6.2.2 Antithyroid drugs	12
6.3 Corticosteroids	12

สารบัญ

กลุ่มยา	หน้า
6.4 Sex Hormones	12
6.4.1 Female sex hormones and anti-estrogens	12
6.4.2 Male sex hormones and antagonists	13
6.5 Hypothalamic and pituitary hormones	13
6.5.1 Hypothalamic and anterior pituitary hormones	13
6.5.2 Posterior pituitary hormones and antagonists	13
6.6 Drugs affecting bone metabolism	13
6.7 Other endocrine drugs	13
6.7.1 Bromocriptine and other dopaminergic drugs	13
7. Obstetrics, gynaecology and urinary-tract disorders	13
7.1 Drugs used in obstetrics	13
7.1.1 Prostaglandins, prostaglandins antagonists and oxytocics	13
7.1.2 Myometrial relaxants	13
7.2 Treatment of vaginal and vulval conditions	13
7.3 Contraceptives	13
7.4 Drugs for genito-urinary disorders	14
7.4.1 Drugs for benign prostatic hyperplasia	14
7.4.2 Drugs for urinary frequency enuresis, and incontinence	14
7.4.3 Drugs used in alkalinisation of urine	14
7.5 Other	14
8. Malignant disease and immunosuppression	14
8.1 Cytotoxic drugs	14
8.1.1 Alkylating drugs	14
8.1.2 Cytotoxic antibiotics	14
8.1.3 Antimetabolites	14
8.1.4 Other antineoplastic drugs	14
8.2 Drugs affecting the immune response	14
8.3 Sex hormones and hormone antagonists in malignant disease	14
8.3.1 Progestogens, anti-estrogens and enzyme inhibitors	14
8.3.2 Prostate cancer	14
9. Nutrition and blood	15
9.1 Whole blood, blood products and drugs used in some blood disorders	15
9.1.1 Drugs used in hypoplastic, hemolytic and renal anemias	15
9.1.2 Drugs used in bone marrow transplantation	15
9.2 Fluids and electrolytes	15
9.3 Vitamins	16
9.4 Intravenous nutrition	16
9.5 Minerals	16
9.6 Vitamins and minerals for pregnancy and lactating mothers	17
10. Musculoskeletal and joint diseases	17
10.1 Drugs used in rheumatic diseases and gout	17
10.1.1 Non-steroidal anti-inflammatory drugs (NSAIDs)	17
10.1.2 Disease-modifying antirheumatic drugs (DMARDs)	17
10.1.3 Drugs for treatment of gout and hyperuricaemia	17
10.2 Drugs used in neuromuscular disorders	17
10.2.1 Drugs which enhance neuromuscular transmission	17
10.2.2 Skeletal muscle relaxants	17
10.3 Drugs for relief of soft-tissue inflammation	17
10.3.1 Rubefacients	17
10.4 Bone calcium regulator	18

11. Eye	18
11.1 Anti-infective eye preparations	18
11.1.1 Antibacterials and eye wash solution	18
11.1.2 Antibacterials with corticosteroids	18
11.1.3 Antifungals	18
11.1.4 Antivirals	18
11.2 Corticosteroids and other anti-inflammatory preparations	18
11.3 Mydriatics and cycloplegics	18
11.4 Drugs for treatment of glaucoma	18
11.5 Local anaesthetics	19
11.6 Tear deficiency, ocular lubricants and astringents	19
11.7 Ocular diagnostic and peri-operative preparations and photodynamic treatment	19
12. Ear, nose, oropharynx and oral cavity	19
12.1 Drugs acting on the ear	19
12.1.1 Otitis external and otitis media	19
12.1.2 Drugs used in otomycosis	19
12.1.3 Other drugs acting on the ear	19
12.2 Drugs acting on the nose	19
12.2.1 Drugs used in nasal allergy	19
12.2.2 Topical nasal decongestants	19
12.3 Drugs acting on the oropharynx and oral cavity	19
12.3.1 Drugs used in treatment of oral ulcer	19
12.3.2 Oropharyngeal antifungal drugs	19
12.3.3 Antiseptics for root canal treatment	20
12.3.4 Drugs used in prevention and treatment of dental plaque and caries	20
12.3.5 Other dental preparations	20
13. Skin	20
13.1 Anti-infective skin preparations	20
13.1.1 Antibacterial preparations	20
13.1.2 Antifungal preparations	20
13.1.3 Parasitocidal preparations	20
13.1.4 Topical antivirals	20
13.2 Emollient and barrier preparations	20
13.3 Topical antipruritics	20
13.4 Topical corticosteroids	20
13.5 Other preparations for psoriasis (excluding topical corticosteroids)	20
13.6 Preparations for warts and calluses	21
14. Immunological products and vaccines	21
15. Anaesthesia	21
15.1 General anaesthesia	21
15.1.1 Intravenous anaesthetics	21
15.1.2 Inhalational anaesthetics	21
15.1.3 Muscle relaxants (Neuromuscular blocking drugs)	21
15.1.4 Sedative and analgesic peri-operative drugs	21
15.1.5 Anticholinesterases and antimuscarinic drugs used in anaesthesia	21
15.2 Local anaesthesia	22
16. Antidotes	22
17. Contrast media and Radiopharmaceuticals	23
17.1 Drugs used in angiography	23
17.2 Drugs used in myelography	23

สารบัญ

กลุ่มยา	หน้า
18. Miscellaneous	23
18.1 Nootropics and neurotonics	23
18.2 Anti-Oedematus	23
18.3 Others	23
เภสัชตำรับโรงพยาบาล	24
รายการยาควบคุมปริมาณการสั่งจ่าย	27

INDEX

** (ก)(ข)(ค)(ง)(จ)	หมายถึง	หมวดยาในบัญชียาหลักแห่งชาติ
(A)(B)(C)(D)(X)	หมายถึง	Prergnancy Category

ED

NED

1. Gastro-intestinal system

1.1 Antacids and other drugs for dyspepsia

- | | | |
|--|---------|-----------------------|
| 1. Carminative mixture | (ก) | 1. สูตรยาเม็ดช่วยย่อย |
| 2. Aluminium hydroxide+Magnesium hydroxide | (ก) | (Diasgest enzyme) tab |
| Simeticone susp | (ก) | |
| 3. Simethicone 80 mg tab | (ก) (C) | |
| 4. Simethicone 40 mg/0.6 susp | (ก) (C) | |
| 5. Aluminium hydroxide 500 mg | (ข) (C) | |

1.2 Antispasmodics and other drugs altering gut motility

- | | |
|--|---------|
| 1. Dicyclomine hydrochloride 10 mg tab | (ก) (B) |
| 2. Domperidone 1 mg/ml 30 ml susp | (ก) (C) |
| 3. Domperidone 10 mg tab | (ก) (C) |
| 4. Hyoscine-n-butylbromide 1mg/ml 30ml syr | (ก) (C) |
| 5. Hyoscine-n-butylbromide 20 mg/ ml Inj | (ก) (C) |
| 6. Metoclopramide 5 mg/ml (2 ml) injection | (ก) (B) |
| 7. Metoclopramide 10 mg tab | (ก) (B) |
| 8. Mebeverine hydrochloride 135 mg tab | (ข) |

1.3 Ulcer-healing drugs and drugs used in variceal bleeding

- | | | | |
|--|---------|---------------------------|-----|
| 1. Omeprazole 20 mg capsule | (ก) (C) | 1. Misoprostol 200 mg tab | (X) |
| 2. Omeprazole 40 mg injection | (ข) (C) | 2. Pantoprazole 20 mg tab | (B) |
| 3. Pantoprazole sodium 40 mg injection | (ค) (B) | 3. Rabeprazole 20 mg tab | (B) |
| 4. Sucralfate 1 gm tab | (ค) (B) | | |
| 5. Bismuth subsalicylate 1048 mg tab | (ง) (C) | | |
| 6. Polidocanol 1% (Lauromacrogol 400) inj | (ง) | | |
| 7. Octreotide acetate 100 mcg / 1 ml inj | (ง) (B) | | |

1.4 Drugs used in acute diarrhea

- | | |
|--|---------|
| 1. Oral rehydration salts (ORS) powder | (ก) (B) |
| 2. Loperamide hydrochloride 2 mg cap | (ข) (B) |

1.5 Laxatives

- | | | |
|---|---------|------------------------|
| 1. Bisacodyl 5 mg tab | (ก) (B) | 1. Sodium chloride 15% |
| 2. Bisacodyl 10 mg rectal supp | (ก) (B) | enema (Unison) |
| 3. Ispaghula Husk (Psyllium Husk) granule | (ก) | |
| 4. Magnesium hydroxide 60 ml susp | (ก) (B) | |
| 5. Magnesium sulfate 50% Solution (Hosp) | (ก) | |
| 6. Senna 7.5 mg tab | (ก) (C) | |
| 7. Lactulose 10 g/5 ml syr 90 ml | (ข) (B) | |
| 8. Sodium phosphates (Swiff) oral sol | (ค) | |
- มีตัวยาสาคัญต่อ 5 ml ดังนี้
- Sodium biphosphate 0.9 g
 - Sodium phosphate 2.4 g

1.6 Local preparations for anal and rectal disorders

- | | | |
|--------------------------------------|-----|------------------------|
| 1. Local anesthetic + Corticosteroid | | 1. Diosmine 500 mg tab |
| (Proctosedyl 5 mg) rectal supp | (ข) | |

1.7 Drugs affecting intestinal secretions

- | | |
|-----------------------------------|-----|
| 1. Cholestyramine oral powder 4 g | (ข) |
|-----------------------------------|-----|

ED

NED

2. Cardiovascular system

2.1 Positive inotropic drugs/ Cardiac Glycosides

- 1. Digoxin 0.25 mg/ml inj (ก) (C)
- 2. Digoxin 0.05 mg/ml Elixir 60 ml (ก) (C)
- 3. Digoxin 0.25 mg tab (ก) (C)

2.2 Diuretics

- 1. Furosemide 20 mg/2 ml inj (ก) C:D
- 2. Furosemide 40 mg tab (ก) C:D
- 3. Furosemide 250 mg/25 ml inj (ก) C:D
- 4. Furosemide 500 mg tab (ก) C:D
- 5. Hydrochlorothiazide (HCTZ) 50 mg tab (ก) B:D
- 6. Mannitol 20% solution 500 ml (ก) C:D
- 7. Spironolactone 25 mg tab (ก) C:D
- 8. Amiloride hydrochloride + Hydrochlorothiazide (HCTZ) tab (5 + 50 mg) (ข) B:D

2.3 Anti-arrhythmic drugs

- 1. Adenosine 6 mg/2 ml injection (ก) (C)
- 2. Atropine 0.6 mg/ml injection (ก) (C)
- 3. Magnesium sulfate 10% sterile sol (ก) (B)
- 4. Magnesium sulfate 50% sterile sol (ก) (B)
- 5. Amiodarone hydrochloride sterile sol 50mg/ml (3 ml) (ค) (D)
- 6. Amiodarone hydrochloride 200 mg tab (ค) (D)

2.4 Beta-adrenoceptor blocking drugs

- 1. Atenolol tab 50 mg (ก) (D)
- 2. Metoprolol 100 mg tab (ก) C:D_{2,3}
- 3. Propranolol hydrochloride 10 mg tab (ก) C:D_{2,3}
- 4. Carvedilol 6.25 mg tab (ค) C:D_{2,3}
- 5. Labetalol hydrochloride 100 mg/20ml (ค) C:D_{2,3}

2.5 Drugs affecting the renin-angiotensin system and some other antihypertensive drugs

2.5.1 Vasodilator antihypertensive drugs

- 1. Hydralazine hydrochloride 25 mg tab (ก) (C)
- 2. Hydralazine hydrochloride 20 mg injection (ก) (C)
- 3. Sodium nitroprusside 50mg/5ml inj (ก) (C)

2.5.2 Centrally acting antihypertensive drugs

- 1. Methyldopa 250 mg tab (ก) (C)

2.5.3 Alpha-adrenoceptor blocking drugs

- 1. Prazosin hydrochloride 2 mg tab (ข) (C)
- 2. Doxazosin mesilate 2 mg tab (ค) (C)

2.5.4 Angiotensin-converting enzyme inhibitors (ACEI)

- 1. Enalapril maleate 5 mg tab (ก) C:D_{2,3}
- 2. Enalapril maleate 20 mg tab (ก) C:D_{2,3}

ED

NED

3. Captopril 25 mg tab (ก) C:D_{2,3}

2.5.5 Angiotensin-II receptor antagonists (ARB)

1. Losartan potassium 50 mg (ข) C:D_{2,3} 1.Valsartan 80 mg tat C:D_{2,3}

2.6 Nitrates, calcium-channel blockers and other vasodilators

2.6.1 Nitrates

1. Glyceryl trinitrate 50 mg/10ml (NTG) (ก) (C) 1.Glyceryl trinitrate Pad (C)
 2. Isosorbide dinitrate 5 mg sublingual tab (ก) (C) (NTG)
 3. Isosorbide mononitrate 10 mg tab (ก) (C)

2.6.2 Calcium-channel blockers

1. Amlodipine besilate 5 mg tab (ก) (C) 1.Nifedipine 5 mg Capsule (C)
 2. Verapamil hydrochloride 40 mg tab (ก) (C)
 3. Diltiazem hydrochloride 30 mg SR tab (ข) (C)
 4. Lercanidipine 20 mg tab (ข) (C)
 5. Nicardipine hydrochloride 2 mg/2 ml inj (ค) (C)
 6. Nifedipine 20 mg SR tab (ง) (C)

2.6.3 Other vasodilators

1. Sildenafil citrate 50 tab (ง) (B) 1.Beraprost 20 mcg tab

2.7 Sympathomimetics

2.7.1 Inotropic sympathomimetics

1. Dopamine hydrochloride 250 mg/10 ml inj (ก) (C)
 2. Dobutamine hydrochloride 250 mg/10ml inj (ข) (B)

2.7.2 Vasoconstrictor sympathomimetics

1. Norepinephrine bitartrate 4 mg/4ml injector (ก) (C)
 2. Ephedrine hydrochloride 1 mg/ml injection (ค) (C)

2.7.3 Drugs used in cardiopulmonary resuscitation

1. Epinephrine (Adrenaline) 1:1000 inj (ก) (C)

2.8 Anticoagulants

1. Warfarin sodium 2 mg tab (ค) (X)
 2. Warfarin sodium 3 mg tab (ค) (X)
 3. Heparin sodium 25,000/5 ml inj (ค) (C)
 4. Enoxaparin sodium 60mg/0.6 ml inj (ค) (B)

2.9 Antiplatelet drugs

1. Aspirin (Acetylsalicylic acid) 81 tab (ก) C:D 1. Cilostazol 100mgSR Tab (C)
 2. Aspirin (Acetylsalicylic acid) 300 tab (ก) C:D 2. Pentoxifylline 400 tab (C)
 3. Clopidogrel bisulfate 75 mg tab (ค) (B)
 4. Ticagrelor 90 mg tab (ง) (C)

2.10 Fibrinolytic drugs

1. Streptokinase 1.5 mU inj (ก) (C)
 2. Alteplase 50 mg inj (ง) (C)

ED

NED

2.11 Hemostatics

- 1. Tranexamic acid 250 mg/inj (ก) (B)
- 2. Tranexamic acid 250 cap (ค) (B)

2.12 Lipid-regulating drugs

- 1. Gemfibrozil 600 mg tab (ก) (C) 1. Ezetimibe 10 mg tab (C)
- 2. Simvastatin 20 mg tab (ก) (X)
- 3. Cholestyramine 4 mg oral pwdr (ข) (C)
- 4. Fenofibrate 200 mg tab (ค) (C)
- 5. Atorvastatin 40 mg tab (ง) (X)

3 Respiratory system

3.1 Bronchodilators

3.1.1 Adrenoceptor agonists

- 1. Procaterol hydrochloride(Meptin) syr (ก)
- 2. Salbutamol 100 mcg /puff MDI (ก) (C)
- 3. Salbutamol 2 mg tab (ก) (C)
- 4. Salbutamol nebulas 1 mg/ml 2.5 ml sol (ก) (C)
- 5. Salbutamol 2 mg/ 5 ml syrup 60 ml (ก) (C)
- 6. Terbutaline sulfate 0.5 mg/ml inj (ก) (B)
- 7. Terbutaline sulfate 2.5 mg tab (ก) (B)

3.1.2 Compound antimuscarinic bronchodilators

- 1. Ipratropium bromide +Fenoterol HBr (ก)
20/50 mcg/dose (200 doses) MDI
- 2. Ipratropium bromide +Fenoterol (ก)
hydrobromide sol for nebulizer 20 ml
- 3. Tiotropium bromide 18 mcg cap (ค)

3.1.3 Theophylline

- 1.Aminophylline 25 mg/ml inj (ก) (C)
- 2.Theophylline 200 mg CR tab (ก) (C)
- 3.Theophylline + Glyceryl (ก)
guaiaacolate syr (50+30 mg/5 ml) 60 ml

3.2 Corticosteroids

- 1.Fluticasone propionate 125 mcg Evo (ค) (C)
- 2.Fluticasone+Salmeterol(250+50mg)Accu (ค)
- 3.Fluticasone+Salmeterol(250+25 mg)Evo (ค)
- 4.Fluticasone+Salmeterol(50+25 mg)Evo (ค)

3.3 Leukotriene receptor antagonists

- 1. Montelukast sodium 10 mg tab (ค) (B)

3.4 Antihistamines

- 1. Chlorpheniramine maleate 4mg tab (ก) (C) 1.Fexofenadine HCl (C)
- 2. Chlorpheniramine maleate 10mg/ml(1ml)inj (ก) (C) 180 mg tab
- 3. Chlorpheniramine maleate 2 mg/5ml syr (ก) (C) 2.Levocetirizine 5 mg tab (B)
- 4. Hydroxyzine hydrochloride 10 mg/ 5ml syr (ก) (C)
- 5. Hydroxyzine hydrochloride 10 mg tab (ก) (C)
- 6. Cetirizine hydrochloride 10 mg tab (ก) (B)

ED

NED

7. Loratadine 10 mg tab (ก) (B)
 8. Loratadine 5mg/ 5ml syr (ก) (B)

3.5 Pulmonary surfactants

1. Beractant 25 mg/ml inj (ง)

3.6 Cough preparations

3.6.1 Cough suppressants

1. Dextromethorphan hydrobromide 15 mg tab (ก) (A) 1. ยาสูตร Benadryl syrup
 2. Mist. Tussis (ก)
 3. Codeine phosphate +
 Glyceril guaiacolate tab/cap (10+100 mg) (ค)

3.6.2 Expectorant and demulcent cough preparations

1. Glyceril guaiacolate syr (รพสต.) (ก) 1. Bromhexine 4mg/5ml Elix (C)
 2. Bromhexine 8 mg tab (C)
 3. Carboxymethyl cysteine
 100 mg/5ml syr

3.7 Systemic nasal decongestants

1. Pseudoephedrine hydrochloride 30 mg tab (ก) (B)

3.8 Other respiratory preparations

1. Aromatic Ammonia Spirit (Ammonia) (ก)

4. Central nervous system

4.1 Hypnotics and anxiolytics

1. Chloral hydrate oral sol 100 mg/50 ml (hosp) (ก) (A) 1. Alprazolam 0.5 mg/tab
 2. Diazepam 2 mg tab (ก) (D)
 3. Diazepam 5 mg tab (ก) (D)
 4. Diazepam 5 mg/ml 2 ml inj (ก) (D)
 5. Lorazepam 1 mg tab (ก) (D)
 6. Clonazepam 2 mg tab (ข) (D)
 7. Dipotassium clorazepate 5 mg capsule (ข) (C)
 8. Hydroxyzine hydrochloride 10 mg/ 5ml syr (ข) (C)
 9. Hydroxyzine hydrochloride 10 mg tab (ข) (C)

4.2 Drugs used in psychoses and related disorders

4.2.1 Antipsychotic drugs

1. Chlorpromazine hydrochloride 25 mg/ml inj (ก) (C) 1. Quetiapine 25 mg tab
 2. Chlorpromazine hydrochloride 50 mg tab (ก) (C)
 3. Chlorpromazine hydrochloride 100 mg tab (ก) (C)
 4. Fluphenazine decanoate 25 mg/ml inj (ก) (C)
 5. Haloperidol 0.5 mg tab (ก) (C)
 6. Haloperidol 2 mg tab (ก) (C)
 7. Haloperidol 5 mg tab (ก) (C)
 8. Haloperidol 5 mg mg/ml (1ml) inj (ก) (C)
 9. Haloperidol drop 2 mg mg/ml 15 ml (ก) (C)
 10. Perphenazine 4 mg tab (ก) (C)
 11. Perphenazine 8 mg tab (ก) (C)
 12. Trifluoperazine hydrochloride 5 tab (ก) (C)

ED

NED

- | | |
|---|---------|
| 13. Trifluoperazine hydrochloride 10 tab | (ก) (C) |
| 14. Risperidone 2 mg tab | (ข) (C) |
| 15. Clozapine 25 mg tab | (ค) (B) |
| 16. Clozapine 100 mg tab | (ค) (B) |
| 17. Thioridazine hydrochloride 100 mg tab | (ค) (C) |

4.2.2 Antimanic drugs

- | | |
|-------------------------------------|-----------|
| 1. Carbamazepine 200 mg tab | (ก) (D) |
| 2. Lithium carbonate 300 mg cap | (ก) (D) |
| 3. Sodium valproate 200 mg/ml syrup | (ก) (D/X) |
| 4. Sodium valproate CR 200 mg tab | (ข) (D/X) |
| 5. Sodium valproate SR 500 mg tab | (ข) (D/X) |

4.3 Antidepressant drugs

- | | |
|--|---------|
| 1. Amitriptyline hydrochloride 10 mg tab | (ก) (C) |
| 2. Amitriptyline hydrochloride 25 mg tab | (ก) (C) |
| 3. Fluoxetine hydrochloride 20 mg tab | (ก) (C) |
| 4. Imipramine hydrochloride 25 mg tab | (ก) (C) |
| 5. Nortriptyline hydrochloride 25 mg tab | (ก) (C) |
| 6. Sertaline 50 mg | (ข) (C) |
| 7. Trazodone hydrochloride 50 mg tab | (ค) (C) |

4.4 Central nervous system stimulants

- | | |
|------------------------------|---------|
| 1. Methylphenidate 10 mg tab | (ค) (C) |
|------------------------------|---------|

4.5 Drugs used in nausea and vertigo

4.5.1 Drugs used in nausea and vomiting

- | | |
|--|---------|
| 1. Domperidone 1 mg/ml susp | (ก) (B) |
| 2. Domperidone 10 mg tab | (ก) (B) |
| 3. Metoclopramide 5 mg/ml (2ml) inj | (ก) (B) |
| 4. Metoclopramide 10 mg Tab | (ก) (B) |
| 5. Ondansetron HCl 8 mg/4 ml (4ml) inj | (ข) (B) |
| 6. Ondansetron HCl 8 mg tab | (ข) (B) |

4.5.2 Drugs used in vestibular disorders

- | | | |
|--|---------|-----------------------------------|
| 1. Dimenhydrinate 50 mg/ml (1ml) injection | (ก) (B) | 1. Almitrine 30mg+raubasine |
| 2. Dimenhydrinate 50 mg tab | (ก) (B) | 10 mg tab |
| 3. Betahistine mesylate 6 mg tab | (ข) | 2. Betahistine mesylate 24 mg tab |

4.6 Analgesics and antipyretics

- | | | |
|--|----------|-------------------------------|
| 1. Acetaminophen 60 mg/0.6 ml syr | (ก) (C) | 1. Acetaminophen 250 mg suppo |
| 2. Acetaminophen 120 mg/5 ml syr | (ก) (C) | |
| 3. Acetaminophen 325 mg tab | (ก) (C) | |
| 4. Acetaminophen 500 mg tab | (ก) (C) | |
| 5. Aspirin (Acetylsalicylic acid) 300 mg tab | (ก) (C) | |
| 6. Ibuprofen 200 mg tab | (ก) B:D3 | |
| 7. Ibuprofen 400 mg tab | (ก) B:D3 | |
| 8. Ibuprofen 100 mg/5 ml susp | (ก) B:D3 | |

ED

NED

4.7 Analgesics

4.7.1 Opioid analgesics

- 1.Fentanyl citrate 0.05 mg/ml (ค) (C,D)
- 2.Fentanyl citrate 25mcg/hr transdermal patch (ค) (C,D)
- 3.Morphine sulfate 10 mg/ml (1ml) inj (ค) (C,D)
- 4.Morphine 2 mg/ml 60 ml (ค) (C,D)
- 5.Morphine sulfate 10 mg IR tab (ค) (C,D)
- 6.Morphine sulfate 20 mg SR cap (Kapanol) (ค) (C,D)
- 7.Morphine sulfate 30 mg PR tab (MST) (ค) (C,D)
- 8.Pethidine hydrochloride 50 mg/ml (1 ml) inj (ค) (C)
- 9.Tramadol hydrochloride 50 mg caps (ค) (C)
- 10.Tramadol HCl 100 mg/2 ml (2ml) inj (ค) (C)

4.7.2 Drugs for neuropathic pain

- | | | |
|---|---------|------------------------|
| 1.Amitriptyline hydrochloride 10 mg tab | (ก) (C) | 1.Pregabalin 25 mg tab |
| 2.Amitriptyline hydrochloride 25 mg tab | (ก) (C) | 2.Pregabalin 75 mg tab |
| 3.Carbamazepine 200 mg tab | (ก) (D) | |
| 4.Nortriptyline hydrochloride 25 mg tab | (ก) (C) | |
| 5.Gabapentin 400 mg cap | (ง) (C) | |

4.7.3 Antimigraine drugs

4.7.3.1 Drugs for acute migraine attack

- 1.Acetaminophen 325 mg tab (ก) (C)
- 2.Acetaminophen 500 mg tab (ก) (C)
- 3.Aspirin (Acetylsalicylic acid) 300 mg tab (ก) C:D3
- 4.Ibuprofen 200 mg tab (ก) B:D3
- 5.Ibuprofen 400 mg tab (ก) B:D3
- 6.Ergotamine tartrate + Caffeine(1+100 mg) (ค) (X)

4.7.3.2 Drugs used in the prophylaxis of migraine

- | | | |
|---|---------|------------------------|
| 1.Amitriptyline hydrochloride 10 mg tab | (ก) (C) | 1.Flunarizine 5 mg cap |
| 2.Amitriptyline hydrochloride 25 mg tab | (ก) (C) | |
| 3.Propranolol hydrochloride 10 mg tab | (ก) (C) | |
| 4.Cyproheptadine hydrochloride 4 tab | (ข) (B) | |
| 5.Sodium valproate CR 200 mg tab | (ง) (X) | |
| 6.Sodium valproate SR 500 mg tab | (ง) (X) | |
| 7.Topiramate 50 mg tab | (ง) (D) | |

4.8 Antiepileptics

4.8.1 Drugs used in the control of epilepsy

- | | | | |
|-------------------------------------|---------|------------------------|-----|
| 1.Carbamazepine 200 mg tab | (ก) (D) | 1.Phenobarbital sodium | (D) |
| 2.Magnesium sulfate 10% (10 ml) inj | (ก) (D) | 20 mg/5 ml elixir | |
| 3.Magnesium sulfate 50% (2 ml) inj | (ก) (D) | 2.Pregabalin 25 mg tab | (C) |
| 4.Phenobarbital sodium 30 mg tab | (ก) (D) | 3.Pregabalin 75 mg tab | (C) |
| 5.Phenobarbital sodium 60 mg tab | (ก) (D) | | |
| 6.Phenytoin sodium 100 mg capsule | (ก) (D) | | |
| 7.Sodium valproate CR 200 mg tab | (ก) (D) | | |
| 8.Sodium valproate SR 500 mg tab | (ก) (D) | | |
| 9.Sodium valproate 200mg/ml syrup | (ก) (D) | | |
| 10.Clonazepam 2 mg tab | (ข) (D) | | |
| 11.Levetiracetam 500 mg SR tab | (ง) (C) | | |

ED

NED

12.Topiramate 50 mg tab (ง) (D)

4.8.2 Drugs used in status epilepticus

- 1.Diazepam 5 mg/ml (2ml) inj (ก) (D)
- 2.Phenytoin sodium 50 mg/ml inj (ก) (D)
- 3.Sodium valproate 400 mg injection (ค) (D)
- 4.Midazolam hydrochloride 5 mg/ml (1ml) inj (ง) (D)

4.9 Drugs used in movement disorders

- 1.Diazepam 2 mg tab (ก) (D)
- 2.Diazepam 5 mg tab (ก) (D)
- 3.Levodopa + Carbidopa 250+25 mg tab (ก) (C)
- 4.Propranolol hydrochloride 10 mg tab (ก) (C)
- 5.Trihexyphenidyl hydrochloride 2 mg tab (ก) (C)
- 6.Trihexyphenidyl hydrochloride 5 mg tab (ก) (C)
- 7.Baclofen 10 mg tab (ข) (C)
- 8.Clonazepam 2 mg tab (ข) (D)
- 9.Bromocriptine mesilate 2.5 mg tab (ค) (B)
- 10.Entacapone 200 mg tab (ง) (C)
- 1.Piribedil SR 50 mg tab

4.10 Drugs used in substance dependence

4.10.1 Drugs used in alcohol dependence (ไม่มี)

4.10.2 Drugs used in smoking cessation

1.Nortriptyline hydrochloride 25 mg tab (ก) (C)

5. Infections

5.1 Antibacterial

5.1.1 Penicillins

- 1.Amoxicillin 250 mg/5 ml syr (ก) (B)
- 2.Amoxicillin 250 mg cap (ก) (B)
- 3.Amoxicillin 500 mg cap (ก) (B)
- 4.Ampicillin sodium 500 mg sterile pwdr (ก) (B)
- 5.Ampicillin sodium 1 gm sterile pwdr (ก) (B)
- 6.Cloxacillin sodium 1 gm sterile pwdr (ก) (B)
- 7.Dicloxacillin sodium 250 mg cap (ก) (B)
- 8.Dicloxacillin sodium 62.5 mg/5 ml syr (ก) (B)
- 9.Phenoxymethylpenicillin potassium (Pen V) 250 mg tab (ก) (B)
- 10.Benzyl penicillin (PGS)5 mu sterile pwdr (ก) (B)
- 11.Benzathine benzylpenicillin G 1.2 mu (ก) (B)
- 12.Amoxicillin 875 + Potassium clavulanate 125 (Co-amoxiclav)tab (ค) (B)
- 13.Amoxicillin sodium 1000 mg + Potassium Clavulanate 200 mg (Co-amoxiclav) inj (ค) (B)
- 14.Piperacillin sodium + Tazobactam sodium 4.5 gm inj (ง) (B)
- 1.Amoxicillin 200 + Potassii (B) clavulanate 28.5 (Co-amoxiclav) dry syr

5.1.2 Cephalosporins, cephamycins and other beta-lactams

- 1.Cephalexin 125 mg/5 ml susp (ก) (B)
- 2.Cephalexin 500 mg cap (ก) (B)
- 3.Cefazolin sodium 1 gm (ก) (B)
- 1.Cefdinir 100 mg Capsule
- 2.Cefdinir 125 mg/5 ml susp

ED

NED

- | | |
|--|---------|
| 4.Cefotaxime sodium 1 gm sterile pwdr | (ค) (B) |
| 5.Ceftriaxone sodium 1 gm sterile pwdr | (ค) (B) |
| 6.Ceftazidime 1 gm sterile pwdr | (ค) (B) |
| 7.Cefoperazone sodium + Sulbactam sodium
1000/500 mg sterile pwdr | (ง) (B) |
| 8.Cefoxitin sodium 1 gm sterile pwdr | (ง) (B) |
| 9.Ertapenem sodium 1 gm sterile pwdr | (ง) (B) |
| 10.Imipenem 500 mg and Cilastatin 500 mg | (ง) (C) |
| 11.Meropenem 1 gm sterile pwdr | (ง) (B) |

5.1.3 Tetracyclines

- | | |
|--|---------|
| 1.Doxycycline hydrochloride 100 mg cap | (ก) (D) |
|--|---------|

5.1.4 Aminoglycosides

- | | |
|--------------------------------------|---------|
| 1. Gentamicin sulfate 20 mg/2 ml inj | (ก) (D) |
| 2. Gentamicin sulfate 80 mg/2 ml inj | (ก) (D) |
| 3. Amikacin sulfate 500mg/2 ml | (ข) (D) |

5.1.5 Macrolides

- | | |
|---|---------|
| 1.Erythromycin 125 mg/5 ml susp/dry syr | (ก) (B) |
| 2.Roxithromycin 150 mg tab | (ก) (B) |
| 3.Azithromycin 200 mg/5 ml dry syr | (ง) (B) |
| 4.Clarithromycin 500 tab tab | (ง) (C) |

5.1.6 Quinolones

- | | |
|--|---------|
| 1.Norfloxacin 100 tab | (ก) (C) |
| 2.Norfloxacin 400 tab | (ก) (C) |
| 3.Ofloxacin 200 mg tab | (ข) (C) |
| 4.Ciprofloxacin hydrochloride 200 mg inj | (ง) (C) |
| 5.Ciprofloxacin lactate 250 mg tab | (ง) (C) |
| 6.Levofloxacin hemihydrates tab 500 mg | (ง) (C) |
| 7.Levofloxacin 750 mg injection | (ง) (C) |

5.1.7 Some other antibacterials

- | | | |
|---------------------------------------|---------|---------------------------|
| 1.Metronidazole 400 mg tab | (ก) (B) | 1.Thiamphenical 500mg Cap |
| 2.Metronidazole 500 mg inj | (ก) (B) | |
| 3.Clindamycin 150 mg | (ข) (B) | |
| 4.Clindamycin 600 mg/4 ml (4ml) | (ข) (B) | |
| 5.Colistimethate sodium 150 mg inj | (ง) (C) | |
| 6.Sodium fusidate 250 mg tab | (ง) (D) | |
| 7.Vancomycin hydrochloride 500 mg inj | (ง) (C) | |

5.1.8 Sulphonamides and trimethoprim

- | | |
|---|--|
| 1.Sulfamethoxazole 200+Trimethoprim 40 mg (ก) (D)
(Co-trimoxazole)/5 ml susp | |
| 2.Sulfamethoxazole 400+Trimethoprim 80 mg (ก) (D)
(Co-trimoxazole)/5 ml inj | |
| 3.Sulfamethoxazole 400+Trimethoprim 80 mg (ก) (D)
(Co-trimoxazole) tab | |

ED

NED

5.1.9 Antituberculous drugs

- 1.Ethambutol hydrochloride 400 mg tab (ก) (C)
- 2.Isoniazid 100 tab (ก) (C)
- 3.Pyrazinamide 500 mg tab (ก) (C)
- 4.Rifampicin 300 mg cap (ก) (C)
- 5.Rifampicin 450 mg cap (ก) (C)
- 6.Streptomycin sulfate 1gm inj (ก) (D)
- 7.Tuberculin Purified Protein Derivative (Tuberculin PPD) inj (ก) (C)
- 8.Amikacin sulfate 500mg/2 ml (2ml) (ค) (D)
- 9.Levofloxacin hemihydrates tab 500 mg (ง) (C)

ยาสันับสนุน สปสช.

- 1.Isoniazid 100 mg+ Rifampicin 150 mg cap (ข) (C) 1.Prothionamide 250 mg tab (RIFINAH 150)
- 2.Isoniazid 150 mg+ Rifampicin 300 mg cap (ข) (C) (RIFINAH 300)
- 3.Isoniazid 75 mg+ Rifampicin 150 mg + (ข) (C) Pyrazinamide 400 mg + Ethambutol 275 mg tab (RIFAFOUR e- 275 mg)
- 4.Cycloserine 250 mg cap (ค) (C)
- 5.Ethionamide 250 mg tab (ค) (C)
- 6.Kanamycin sulfate 1 gm sterile pwdr (ค) (D)
- 7.Para-aminosalicylic acid (PAS)500 mg Ectab (ค) (C)

5.1.10 Antileprotic drugs

- 1.Dapsone 100 mg tab (ก) (C)

5.2 Antifungal drugs

- 1.Fluconazole 200 mg cap (ก) (D)
- 2.Griseofulvin 500 tab (ก) (B)
- 3.Ketoconazole 200 tab (ก) (C)
- 4.Nystatin 100,000 iu/ml oral susp (ก) (C)
- 5.Itraconazole 100 mg cap (ค) (C)
- 6.Amphotericin B 50 mg sterile pwdr (ค) (B)

5.3 Antiviral drugs

5.3.1 Non-antiretrovirals

- 1.Acyclovir 400 mg tab (ก) (B)
- 2.Acyclovir 20 mg/ml oral susp (Hosp) (ก) (B)
- 3.Acyclovir 500 mg inj vial (ค) (B)
- 4.Oseltamivir phosphate 30 mg tab (จ1) (C)
- 5.Oseltamivir phosphate 45 mg tab (จ1) (C)
- 6.Oseltamivir phosphate 75 mg tab (จ1) (C)
- 7.Oseltamivir phosphate 10 mg/ml syr (จ1) (C) (Hosp)

5.3.2 Antiretrovirals

ยาสันับสนุนจาก สปสช. จึงอาจมีการเปลี่ยนแปลงได้ ขึ้นกับนโยบายของ สปสช.

- 1. Efavirenz 50 mg (ก) (D) 1.Lamivudine 150 mg+
- 2. Efavirenz 200 mg (ก) (D) Stavudine 30 mg(Lastavir®)

ED	NED
3. Efavirenz 600 mg	(ก) (D)
4. Lamivudine (3TC) 150 mg tab	(ก) (C)
5. Lamivudine (3TC) 300 mg tab	(ก) (C)
6. Lamivudine (3TC) syr 10 mg/ml	(ก) (C)
7. Nevirapine (NVP) 200 mg tab	(ก) (B)
8. Nevirapine (NVP) 10 mg/ml susp	(ก) (B)
9. Tenofovir disoproxil fumarate (TDF) 300 mg tab(Viread®)	(ก) (B)
10. Zidovudine (AZT) 100 mg cap	(ก) (C)
11. Zidovudine (AZT) 300 mg cap	(ก) (C)
12. Zidovudine (AZT) 10 mg/ml syr	(ก) (C)
13. Zidovudine 300 mg + Lamivudine 150mg (AZT+3TC) Tab (Zilavir®)	(ก)
14. Zidovudine 250 mg+Lamivudine150mg + Nevirapine 200 mg (AZT + 3TC+ NVP)tab (GPOvir®Z250)	(ก)
15. Lamivudine 150 mg + Stavudine 30 mg+ Nevirapine 200 mg(3TC+ d4T+ NVP)tab (GPOvir®S30)	(ข)
16. Stavudine (d4T) 30 mg cap	(ข) (C)
17. Stavudine (d4T) 5 mg/ml dry syr	(ข) (C)
18. Atazanavir sulfate (ATV) 200 mg cap	(ค)
19. Atazanavir sulfate (ATV) 300 mg cap	(ค)
20. Lopinavir 200 mg + Ritonavir 50 mg (LPV+RTV) Tab (Kaletra®)	(ค)
21. Lopinavir 80 mg + Ritonavir 20 mg (LPV+RTV) oral sol (Kaletra®)	(ค)
22. Ritonavir (RTV) 100 mg cap	(ค) (B)
23. Didanosine (ddI) 125 mg tab	(ง) (B)
24. Didanosine (ddI) 250 mg tab	(ง) (B)

5.3.3 Viral hepatitis

1. Lamivudine 150 mg tab	(ง) (C)
2. Tenofovir disoproxil fumarate 300 mg tab (Viread®)	(ง) (B)

5.4 Antiprotozoal drugs

5.4.1 Antimalarials

1. Primaquine phosphate 7.5 mg tab	(ก) (D)
2. Quinine sulfate 300 mg/ml inj	(ก) (C)
3. Quinine sulfate 300 mg tab	(ก) (C)

5.4.2 Other antiprotozoal drugs

1. Metronidazole 500 mg tab	(ก) (B)
2. Metronidazole 500 mg/100 ml inj	(ก) (B)

5.5 Anthelmintics

1. Albendazole 200 mg/5 ml tab, susp	(ก) (C)
2. Albendazole 200 mg tab	(ก) (C)
3. Niclosamide 500 mg tab	(ก) (B)

ED

NED

- 4.Praziquantel 600 mg tab (ก) (B)
- 5.Ivermectin 6 mg tab (ข) (C)

5.6 Antiseptics

ยาเตรียมในโรงพยาบาล

- 1.Chlorhexidine gluconate 4% (ก) (C)
- 2.Chlorhexidine gluconate 5% (ก) (C)
- 3.Ethyl alcohol 70% (ก)
- 4.Hydrogen peroxide 6% (ก)
- 5.Potassium permanganate pwdr (hosp) (ก)
- 6.Povidone-iodine 7.5% (ก)
- 7.Povidone-iodine 10% (ก)

- 1.Chlorhexidine gluconate1%
- 2.0.55%Ortho-phthalaldehyde
- 3.Povidone 10%ointment

6 Endocrine system

6.1 Drugs used in diabetes

6.1.1 Insulins

- 1. Isophane insulin (NPH) 100 u/ml x10 ml in (ก) (B)
- 2. Regular insulin (RI) 100 u/ml x 10 ml inj (ก) (B)
- 3. Soluble insulin + Isophane insulin (30/70) (ก) (B)
(Mixtard) x 10 ml inj (ก) (B)
- 4. Soluble insulin + Isophane insulin (30/70) (ก) (B)
x 3 ml Penfill inj (ก) (B)
- 5. Insulin aspart 30%+Insulin aspart 70% (ง) (B)
100 u/ml x 3 ml penfill injection (Novomix®)
- 6. Glargine insulin (Toujeo®) (ง) (B)
300 u/ml x 1.5 ml x Penfill injection

6.1.2 Oral antidiabetic drugs

- 1.Glipizide 5 mg tab (ก) (C)
- 2.Metformin hydrochloride 500 mg tab (ก) (B)
- 3.Pioglitazone hydrochloride 30 mg tab (ง) (C)

- 1.Sitagliptin 100 mg tab (B)

6.2 Thyroid and antithyroid drugs

6.2.1 Thyroid hormones

- 1.Levothyroxine sodium (L-thyroxine sodium) (ก) (A)
100 mcg (0.1 mg) tab

6.2.2 Antithyroid drugs

- 1.Propylthiouracil 50 mg tab (ก) (D)
- 2.Methimazole 5 mg tab (ก) (D)

6.3 Corticosteroids

- 1.Dexamethasone 4 mg tab (ก) (C)
- 2.Dexamethasone 4 mg/ml injection (ก) (C)
- 3.Hydrocortisone 100 mg injection (ก) (C)
- 4.Prednisolone 5 mg tab (ก) (C)
- 5.Triamcinolone acetonide 10 mg/ml inj (ค) (C)

6.4 Sex Hormones

6.4.1 Female sex hormones and anti-estrogens

- 1.Conjugated estrogens 0.625 mg tab (ก) (X)
- 1.Estradiol 1 mg+ (X)

ED

NED

2.Norethisterone 5 mg tab

(ก) (X) Drospirenone 2 mg (Angelig) tab
2.Dydrogesterone 10 mg tab
3.Progesterone 200 mg cap

6.4.2 Male sex hormones and antagonists

1.Testosterone enantate (X)
40 mg tab
2.Danazol 200 mg Cap (X)

6.5 Hypothalamic and pituitary hormones

6.5.1 Hypothalamic and anterior pituitary hormones

1.Chrorionic gonadotrophin(HCG) inj (ง) (X)

6.5.2 Posterior pituitary hormones and antagonists

1.Desmopressin acetate (DDAVP) 0.1 mg/ml (ง) (B)
nasal spray

6.6 Drugs affecting bone metabolism

1.Calcitonin 200 iu nasal spray

6.7 Other endocrine drugs

6.7.1 Bromocriptine and other dopaminergic drugs

1.Bromocriptine mesilate 2.5 mg tab (ค) (B)

6.7.2 Drug affecting gonadotrophines

1.Cinacalcet hydrochloride 25 mg
tab

7 Obstetrics, gynaecology and urinary-tract disorders

7.1 Drugs used in obstetrics

7.1.1 Prostaglandins, prostaglandins antagonists and oxytocics

1.Methyleergometrine maleate 0.2 mg/ml inj (ก) (C) 1. Misoprostal 200 mcg tab (X)
2.Oxytocin 10 iu/ml injection (ก) (X)
3.Sulprostone 500 mcg/amp injection (ง)

7.1.2 Myometrial relaxants

1.Terbutaline sulfate 0.5 mg/ml injection (ก) (B)
2.Terbutaline sulfate 2.5 mg tab (ก) (B)

7.2 Treatment of vaginal and vulval conditions

1.Clotrimazole 100 mg vaginal tab (ก) (C)

7.3 Contraceptives

1.Etonogestrel implant 1 rod (68 mg/rod) (ก) (X) 1. Estradiol 1 mg+ Drospirenone
2.Ethinylestradiol 30 mcg+ Levonorgestrel (ก) (X) 2 mg tab
150 mcg tab
3.Medroxyprogesterone acetate 50 mg/ml inj (ก) (X)
4.Lynestrenol(Exlution®) 0.5 mg tab (ข) (D)

ED

NED

7.4 Drugs for genito-urinary disorders

7.4.1 Drugs for benign prostatic hyperplasia

- 1. Alfuzosin hydrochloride 10 mg SR tab (ค) (B)
- 2. Doxazosin mesilate 2 mg tab (ค) (C)
- 3. Finasteride 5 mg tab (ง) (X)

7.4.2 Drugs for urinary frequency enuresis, and incontinence

- 1. Oxybutynin hydrochloride 5 mg tab (ค) (B)
- 1. Tamsulosin 0.4mgCap (B)
- 2. Trospium chloride 20 mg tab

7.4.3 Drugs used in alkalinisation of urine

- 1. Potassium citrate oral solution (Hosp) (ก)
- 1. Potassium+sodium+citrate (uralyte) แกรนูล

8 Malignant disease and immunosuppression

8.1 Cytotoxic drugs

8.1.1 Alkylating drugs

- 1. Cyclophosphamide 50 mg tab (ค) (D)
- 2. Cyclophosphamide 1000 mg injection (ค) (D)

8.1.2 Cytotoxic antibiotics

- 1. Dactinomycin 500 mcg/ml injection (ค) (D)
- 2. Doxorubicin hydrochloride 50 mg/25 ml inj (ค) (D)
- 3. Mitomycin-C 2 mg injection (ง) (X)

8.1.3 Antimetabolites

- 1. Fluorouracil (5-FU) 1000 mg/20 ml injection (ค) (X)
- 2. Methotrexate 2.5 mg tab (ค) (X)
- 3. Methotrexate 50 mg/2 ml injection (ค) (X)
- 4. Capecitabine 500 mg tab (ง) (D)
- 5. Oxaliplatin 100 mg injection (ง) (D)

8.1.4 Other antineoplastic drugs

- 1. Calcium folinate (Leucovorin calcium) 50 mg/5 ml
- 2. Paclitaxel 300 mg/50 ml injection (ง) (D)

8.2 Drugs affecting the immune response

- 1. Dexamethasone 4 mg tab (ก) (C)
- 2. Dexamethasone 4 mg/ml injection (ก) (C)
- 3. Prednisolone 5 mg tab (ก) (C)
- 4. Azathioprine 50 mg tab (ค) (D)
- 5. BCG (Bacillus Calmette-Guérin) (ง) (C)
- 6. Mycophenolate mofetil 250 mg cap (ง) (D)

8.3 Sex hormones and hormone antagonists in malignant disease

8.3.1 Progestogens, anti-estrogens and enzyme inhibitors

- 1. Tamoxifen citrate 20 mg tab (ค) (D)
- 1. Danazol 200 mg tab (X)
- 2. Letrozole 2.5 mg tab (จ2) (X)

8.3.2 Prostate cancer

- 1. Leuprorelin acetate 22.5 mg injection (ง) (X)
- 1. Bicalutamide 50 mg tab (X)

ED

NED

9 Nutrition and blood

9.1 Whole blood, blood products and drugs used in some blood disorders

9.1.1 Drugs used in hypoplastic, hemolytic and renal anemias

- 1.Folic acid 5 mg tab (ก) (A)
- 2.Desferrioxamine mesilate 500 mg injection (ค) (C)
- 3.Deferiprone 500 mg tab (ค) (C)
- 4.Ferric hydroxide sucrose inj (100 mg Fe) (ค)
- 5.Epoetin alfa 4000 IU (จ2) (C)

9.1.2 Drugs used in bone marrow transplantation

- 1. Filgrastim 300 mcg injection (ง) (C)

9.2 Fluids and electrolytes

1.Glucose with/without sodium chloride sterile sol

- 1.D-10-S/2 1000 ml (ก)
- 2. D-10-S/5 500 ml (ก)
- 3. D-10-S/5 100/500 ml (ก)
- 4. D-10-S/5 200/500 ml P (ก)
- 5. D-10-S/5 300/500 ml (ก)
- 6. D-10-W 500 ml (ก)
- 7. D-5-S 1000 ml (ก)
- 8. D-5-S/2 500 ml (ก)
- 9. D-5-S/2 1000 ml (ก)
- 10. D-5-S/3 500 ml (ก)
- 11.D-5-S/5 500 ml (ก)
- 12.D-5-W 100 ml (ก)
- 13.D-5-W 250 ml (ก)
- 14.D-5-W 500 ml (ก)
- 15.D-5-W 1000 ml (ก)
- 16.D-5-W 200/500 ml (ก)
- 17.D-5-W 50/100 ml (ก)
- 18.Glucose 50% (ก)

2. Potassium chloride

- 1.Potassium chloride 40 mEq /10ml injection (ก)
- 2.Potassium chloride 3% (2.01mEq/5 ml) (ก)
30 ml,240 ml,500ml sol (Hosp)
- 3.Potassium chloride 10% (6.70mEq/5 ml)
30 ml,240 ml,500ml sol (Hosp)
- 4.Potassium chlorode 500 mg tab (ก)

3. Sodium bicarbonate

- 1.Sodium bicarbonate 300 mg tab (ก)
- 2.Sodium bicarbonate 7.5%, 50 ml inj (ก)

4.Sodium chloride

- 1.NaCl 0.9% 100 ml (ก) 1.Sodium chloride powder for irrigate
- 2.NaCl 0.9% 1000 ml (ก) 2.265 gm
- 3.NaCl 0.45% 1000 ml (ก)
- 4.NaCl 3% 500 ml (ก)

5. Sodium lactate intravenous

- 1.Ringer-Lactate inj 1000 ml (ก)

ED

NED

6. Water for injection

- 1. Water for injection 10 ml (ก)
- 2. Water for injection 100/500 ml (ก)
- 3. Water for injection 1000 ml (ก)

7. Calcium polystyrene sulfonate(Kalimate)oral pwdr (ข)

8. อื่นๆ

- 1. Dextran-40 10% 500 ml injection
- 2. Human Albumin 20%, 50ml injection
- 3. Voluven 500 ml injection
- 4. Glycerol 10%+Glucose 2.5%, 500 ml (Glycerosteril®10%)
- 5. Acetar 1000 ml inj
- 6. Acetar-5 injection 500 ml
- 7. Glucose 7.5% + Electrolyte (Glucolyte-2)

9.3 Vitamins

- 1. Folic acid 5 mg tab (ก) (A)
- 2. Multivitamins syr 60 ml (ก)
- 3. Multivitamins drop 15 ml (ก)
- 4. Multivitamins tab (ก)
- 5. Vitamin B1(Thiamine) 100 mg tab (ก) (A,C)
- 6. Vitamin B1(Thiamine) 100mg/ml injection (ก) (A,C)
- 7. Vitamin B6 (Pyridoxine) 50 mg tab (ก)
- 8. Vitamin B12 (Cyanocobalamin) 100 mcg tab (ก) (C)
- 9. Vitamin C 100 mg tab (ก) (C)
- 10. Vitamin D2 (Ergocalciferol) 20,000 iu Cap (ก) (C) (ก) (C)
- 11. Vitamin K1 (Phytomenadione) 1 mg/0.5 ml sterile sol (ก) (C)
- 12. Vitamin K1 (Phytomenadione) 10 mg/ ml sterile sol
- 13. Vitamin B complex tab (ก) (A,C)
- 14. Vitamins B complex injection (ข) (A,C)
- 15. Calcitriol (D3) 0.25 mcg tab (ค)
- 16. Vitamin E 50 iu/ml x15 ml syr (ค) (A)

9.4 Intravenous nutrition

- 1. Amino acid 10% (Aminoven®) Inj. 100 ml (ค) 1. Amino acid+Vit. B complex (B-Fluide®) 1000 ml
- 2. Amino acid solution (Aminoleban®) 500 ml (ค)
- 3. Multivitamin(OMVI) (ค)
- 4. Fat emulsion sterile emulsion 20% (ค)
- (SMOF Lipid®)
- 5. Multiple trace mineral injection (ค)
- 6. Three-in-one parenteral nutrition sterile sol (ง)
- ประกอบด้วย glucose, amino acid และ fat emulsion (SMOF Kabiven®)

9.5 Minerals

- 1. Calcium carbonate 625 mg cap (ก) (C)
- 2. Calcium carbonate 1,250 mg cap (ก) (C)
- 3. Calcium gluconate 100 mg Injection (ก) (C)
- 4. Ferrous sulfate 15 mg/0.6 ml drop (ก)
- 5. Magnesium sulfate 10% injection (10 ml) (ก) (D)

ED

NED

- 6. Magnesium sulfate 50% injection (2 ml) (ก) (D)
- 7. Magnesium sulfate 50% sol 240 ml(Hosp) (ก) (D)
- 8. Aluminium hydroxide 500 mg tab (ข) (A)
- 9. Ferrous fumarate 200 mg tab (ข)

9.6 Vitamins and minerals for pregnancy and lactating mothers

- 1. Ferrous fumarate 200 mg tab (ก) (A)
(เฉพาะ 65 mg as iron)
- 2. Folic acid 5 mg tab (ก) (A)
- 3. Ferrous salt 60.81mg + Folic acid 0.4 mg + Iodine 0.15 mg (Triferdine®) (ก)

10 Musculoskeletal and joint diseases

10.1 Drugs used in rheumatic diseases and gout

10.1.1 Non-steroidal anti-inflammatory drugs (NSAIDs)

- | | |
|---|---|
| 1. Aspirin (Acetylsalicylic acid) 300 mg EC tab (ก) | 1. Celecoxib 200 mg Cap c,D3 |
| 2. Diclofenac sodium 25 EC tab (ก) c,D3 | 2. Diclofenac 1% Gel c,D3 |
| 3. Ibuprofen 100 mg/5 ml syr (ก) | 3. Etoricoxib 90 mg Tab |
| 4. Ibuprofen 200 mg film coated tab (ก) | 4. Mefenamic 500 mg Cap (C) |
| 5. Ibuprofen 400 film coated tab (ก) | 5. Parecoxib 40 mg Inj |
| 6. Naproxen 250 mg tab (ก) (C) | 6. Meloxicam 7.5 mg Tab |
| 7. Piroxicam 10 cap (ข) c,D3 | 7. Ketorolac tromethamine 30 mg/ml inj. |

10.1.2 Disease-modifying antirheumatic drugs (DMARDs)

- 1. Hydroxychloroquine 200 mg tab (ข) (C)
- 2. Azathiopine 50 mg tab (ค) (D)
- 3. Methotrexate 2.5 mg tab (ค) (X)
- 4. Methotrexate 50 mg/2 ml (2 ml) (ค) (X)

10.1.3 Drugs for treatment of gout and hyperuricaemia

- 1. Colchicine 0.6 mg tab (ก) (C)
- 2. Allopurinol 100 mg tab (ก) (C)
- 3. Febuxostat 80 mg tab (ง) (C)

10.2 Drugs used in neuromuscular disorders

10.2.1 Drugs which enhance neuromuscular transmission

- 1. Pyridostigmine 60 mg tab (ก) (C)
- 2. Neostigmine 2.5 mg/ml injection (1 ml) (ข)

10.2.2 Skeletal muscle relaxants

- | | |
|--------------------------------|------------------------------|
| 1. Diazepam 2 mg tab (ก) (D) | 1. Orphenadine 100 mg SR (C) |
| 2. Diazepam 5 mg tab (ก) (D) | 2. Tolperisone 50 mg |
| 3. Diazepam 10 mg /2ml (ก) (D) | 3. Tolperisone 150 mg |
| 4. Baclofen 10 mg tab (ข) (C) | |

10.3 Drugs for relief of soft-tissue inflammation

10.3.1 Rubefacients

- 1. Methyl salicylate cream compound cream (ก)
- 2. Capsaicin 0.025% 35 gm (ED บัญชียาสมุนไพร)

ED

NED

10.4 Bone calcium regulator

- 1. Alendronate 70 mg + (C)
Cholecalciferol 5600 iu tab
- 2. Salmon calcitonin 200 iu/dose
Nasal spray (C)

11 Eye

11.1 Anti-infective eye preparations

11.1.1 Antibacterials and eye wash solution

- 1. Chloramphenicol 1% eye oint (ก) (A) 1. Moxifloxacin 0.5% solution
- 2. Tetracycline hydrochloride eye oint (ก) (D) 2. Oxyteracycline 0.5%+
- 3. Gentamicin sulfate 14 mg/ml ED (Hosp) (ข) (D) Polymixin B
- 4. Gentamicin sulfate 15 mg/ml ED (Hosp) (ข) (D) 3. Levofloxacin 1.5% ED, 5 ml
- 5. Polymyxin B sulfate + Neomycin sulfate +
Gramicidin eye drop (สูตร Poly-oph) (ค)
- 6. Cyclosporine 0.05% eye drop (ง) (C)
- 7. Fusidic acid eye drop (in gel base) (ง)

11.1.2 Antibacterials with corticosteroids

- 1. Dexamethasone sodium phosphate + (ค)
Neomycin sulfate eye drop (สูตร Dex-oph)
- 2. Dexamethasone + Polymyxin B sulfate + (ค)
Neomycin sulfate eye (Maxitral) eye oint

11.1.3 Antifungals

- 1. Amphotericin B 0.1% (Hosp)
- 2. Amphotericin B 0.3% (Hosp)

11.1.4 Antivirals

- 1. Acyclovir 3% eye oint (ค)

11.2 Corticosteroids and other anti-inflammatory preparations

- 1. Antazoline hydrochloride + Tetrahydrozoline
hydrochloride eye drop (ก)
- 2. Fluorometholone 0.1% eye susp (ค) (C)
- 3. Prednisolone acetate 1% eye susp (ค) (C)
- 4. Olopatadine HCl 0.1% eye drop (ง)

11.3 Mydriatics and cycloplegics

- 1. Atropine sulfate 1% eye drop (ค) (C) 1. Tropicamide 0.8%+
- 2. Atropine sulfate 0.5% eye drop (ค) (C) Phenylephrine 5% eye drop
- 3. Cyclopentolate HCl 1% eye drop (ค) (C)
- 4. Tropicamide 1% eye drop (ค)

11.4 Drugs for treatment of glaucoma

- 1. Glycerol oral sol (hosp) แบ่งบรรจุ (ก) 1. Brimatoprost 0.03%+
- 2. Acetazolamide 250 mg tab (ก) Timolol 0.5% (Ganfort PF®)
- 3. Pilocarpine 2% eye drop (ก)
- 4. Timolol maleate 0.5% eye drop (ก)
- 5. Brimonidine tartrate 0.2% eye drop (ค)
- 6. Latanoprost 0.005% eye drop (ค)

ED

NED

7. Dorzolamide 2% eye drop (ค)
 8. Dorzolamide 2%+Timolol 0.5% (Cosopt®) eye drop (ง)

11.5 Local anaesthetics

1. Tetracaine hydrochloride eye drop (ก)

11.6 Tear deficiency, ocular lubricants and astringents

1. Hypomellose (Natear®) eye drop (ก) 1. Hypomellose 0.3% eye gel
 2. Sodium hyaluronate 18 mg ED (vislube®)

11.7 Ocular diagnostic and peri-operative preparations and photodynamic treatment

1. Balance salt sol for ocular irrigation (ค)
 2. Diclofenac sodium 0.1% eye drop (ค)
 3. Trypan blue for intraocular use(Hosp) (ง)
 4. Bevacizumab 200 mg/4 ml injection (จ2)

12 Ear, nose, oropharynx and oral cavity

12.1 Drugs acting on the ear

12.1.1 Otitis external and otitis media

1. Chloramphenicol 1% ear drop (ก)

12.1.2 Drugs used in otomycosis

1. Acetic acid 2% ear drop (Hosp) (ก)
 2. Clotrimazole 1% ear drop (ข)

12.1.3 Other drugs acting on the ear

1. Ofloxacin ear drop (ค)

12.2 Drugs acting on the nose

12.2.1 Drugs used in nasal allergy

1. Fluticasone 27.5 mcg/dose nasal spray (ง) 1. Mometasone 50 mcg nasal spray

12.2.2 Topical nasal decongestants

1. Ephedrine 1% nasal drop (Hosp) (ก) 1. Sodium chloride powder irrigate
 2. Sodium chloride 0.9% for irrigation 100 ml (ก) 2.265 g
 3. Sodium chloride 0.9% for irrigation 1000 ml (ก)
 4. Oxymetazoline 0.25 mg/ml nasal drop (ข)

12.3 Drugs acting on the oropharynx and oral cavity

12.3.1 Drugs used in treatment of oral ulcer

1. Glycerin borax sol (ก)
 2. Chlorhexidine gluconate mouthwash sol (ก)
 3. Triamcinolone acetonide 0.1% oral paste (ก)

12.3.2 Oropharyngeal antifungal drugs

1. Nystatin 100,000 iu/ml oral susp (ก)

ED

NED

12.3.3 Antiseptics for root canal treatment

- 1. Chlorhexidine gluconate sol (hosp) (ก)
- 2. Sodium hypochlorite sol (hosp) (ก)

12.3.4 Drugs used in prevention and treatment of dental plaque and caries

- 1. Chlorhexidine gluconate mouthwash sol (hosp) (ก)

12.3.5 Other dental preparations

- 1. Epinephrine (Adrenaline) sterile sol (ก)
- 2. Sodium chloride sterile sol (ก)

13 Skin

13.1 Anti-infective skin preparations

13.1.1 Antibacterial preparations

- 1. Silver sulfadiazine 1% cream (ก) 1. Gentamicin 0.1% Cream
- 2. Mupirocin 2% oint (ข)

13.1.2 Antifungal preparations

- 1. Sodium thiosulfate sol, sol (hosp) (ก)
- 2. Clotrimazole 1% cream (ก)

13.1.3 Parasitocidal preparations

- 1. Benzyl benzoate emulsion/lotion 25% (ก)
- 2. Ivermectin 6 mg tab (ข)

13.1.4 Topical antivirals

- 1. Acyclovir 5% cream (B)

13.2 Emollient and barrier preparations

- 1. Olive oil (ก)
- 2. Urea cream (hosp) (ก)
- 3. White petrolatum oint (hosp) (ก)
- 4. Zinc oxide paste (ก)

13.3 Topical antipruritics

- 1. Calamine lotion (ก)

13.4 Topical corticosteroids

- 1. Betamethasone valerate 0.1% cream (ก)
- 2. Triamcinolone acetonide 0.02% cream (ก)
- 3. Triamcinolone acetonide 0.1% cream (ก)
- 4. Triamcinolone acetonide 0.1% lotion (ก)
- 5. Clobetasol propionate 0.1% cream (ก)

13.5 Other preparations for psoriasis (excluding topical corticosteroids)

- 1. Coal tar shampoo (hosp) (ก)
- 2. Methotrexate 2.5 mg tab (ข) (X)
- 3. Calcipotriol 50 mcg/g ointment, 100 g (ง) (C)

ED

NED

13.6 Preparations for warts and calluses

- 1.Trichloroacetic acid sol (hosp) (ก)
- 2.Salicylic acid + Lactic acid colloidal sol (ข)

14 Immunological products and vaccines

- 1.BCG vaccine (Bacillus Calmette-Guérin) inj (ก)
- 2.Diphtheria antitoxin 20,000 iu injection (ก)
- 3.Diphtheria-Tetanus vaccine dT(adult type) (ก)
- 4.Hepatitis B vaccine (HBV) inj (ก)
- 5.Influenza vaccine inj. (ก)
- 6.Measles-Mumps-Rubella vaccine (MMR) inj (ก)
- 7.Rabies immunoglobulin, horse (ERIG) inj (ก)
- 8.Rabies vaccine (ก)
- 9.Japanese encephalitis vaccine(JE) inj (ก)
10. Rabies immunoglobulin, human (HRIG) in (ข)
- 11.Tetanus immunoglobulin 250 iu (ข)
- 12.Hepatitis B immunoglobulin human (HBIG) (ค)

วัคซีนส่นับสนุน

- 1.Diphtheria-Tetanus-Pertussis (DTP) inj (ก)
- 2.Diphtheria-Tetanus-Pertussis-Hepatitis B vaccine (DTP-HB)
- 3.Influenza vaccine (ก)
- 4.Inactivated polio vaccine (IPV) inj (จ1)

15 Anaesthesia

15.1 General anaesthesia

15.1.1 Intravenous anaesthetics

- 1.Propofol sterile emulsion (ค)
- 2.Thiopental sodium inj (ค)
- 3.Ketamine 50 mg/ml (ง)

15.1.2 Inhalational anaesthetics

- 1.Sevoflurane Inhalation vapour liquid (ค)

15.1.3 Muscle relaxants (Neuromuscular blocking drugs)

- 1.Cisatracurium besilate sterile sol (ค)
- 2.Suxamethonium chloride sterile pwr, sterile sol (ค)

15.1.4 Sedative and analgesic peri-operative drugs

- 1.Diazepam 2 mg tab (ก)
- 2.Diazepam 5 mg tab (ก)
- 3.Diazepam 10 mg/2 ml injection (ก)
- 4.Fentanyl citrate 0.05 mcg/mg (2 ml) inj (ค)
- 5.Morphine sulfate 10 mg/ml (1 ml) inj (ค)
- 6.Pethidine 50 mg/ml (1 ml) inj (ค)
- 7.Midazolam 5 mg/ml (1 ml) inj (ง)

15.1.5 Anticholinesterases and antimuscarinic drugs used in anaesthesia

- 1.Atropine sulfate 0.6 mg/ml (1 ml) (ก)

ED

NED

2. Neostigmine 2.5 mg/ml (1 ml) inj (ก)

15.2 Local anaesthesia

- 1. Lidocaine HCl 2% gel (ก)
- 2. Lidocaine HCl 10% Spray (ก)
- 3. Lidocaine HCl Viscous (ก)
- 4. Lidocaine HCl 1% Injection (ก)
- 5. Lidocaine HCl 2% Injection (ก)
- 6. Lidocaine HCl 1%+ Epinephrine injection (ก)
- 7. Lidocaine HCl 2%+ Epinephrine injection (ก)
- 8. Bupivacaine HCl 0.5% 10 ml injection (ข)
- 9. Bupivacaine HCl 0.5% Heavy 4ml inj (ค)

1. Levo-bupivacaine 5 mg/ml 10 ml injection

16 Antidotes

- 1. Acetylcysteine 300 mg/3ml injection (ก)
- 2. Activated charcoal 10 gm powder (ก)
- 3. Atropine 0.6 mg/ml sulfate sterile sol (ก)
- 4. Benztropine mesylate 2 mg/2 ml sterile sol (ก)
- 5. Calcium gluconate 100 mg injection (ก)
- 6. Diazepam 10 mg/ 2 ml sterile sol (ก)
- 7. Naloxone HCl 0.4 mg/ml injection (ก)
- 8. Pralidoxime chloride (2-PAM) 1 gm inj (ก)
- 9. Sodium bicarbonate 7.5% injection (เฉพาะ 44.6 mEq) (ก)
- 10. Vitamin K1 (Phytomenadione) 10 mg/ml (ก)
- 11. Cyclophosphamide 1000 mg injection (ค)
- 12. Deferoxamine mesilate sterile pwdr (ค)
- 13. Calcium folinate 50 mg/5 ml (ง)
- 14. Norepinephrine bitartrate 4 mg/4ml Inj (ง)

ยาสับสุนน สปสข

- 1. Dimercaprol (British Anti-Lewisite, BAL) sterile oil solution for IM use 100 mg/2ml (ค)
- 2. 3% Sodium nitrite 10 mg/ml sterile sol (ค)
- 3. Sodium thiosulfate 250 mg/ml sterile sol (ค)
- 4. Methylene blue 10 mg/ml sterile sol (ง)

Antivenum

- 1. Antivenom sera branded krait (งูสามเหลี่ยม) (ก)
- 2. Antivenom sera cobra (งูเห่า) (ก)
- 3. Antivenom sera king cobra (งูจงอาง) (ก)
- 4. Antivenom sera green pit viper (งูเขียวหางไหม้) (ก)
- 5. Antivenom sera Malayan pit viper (งูกะปะ) (ก)
- 6. Antivenom sera russel's viper (งูแมวเซา) (ก)
- 7. Antivenom sera Malayan krait (งูทับสมิงคลา) (ก)
- 8. Polyvalent antivenom for hematotoxin inj (ก)
- 9. Polyvalent antivenom for neurotoxin inj (ก)

ED

NED

17 Contrast media and Radiopharmaceuticals

17.1 Drugs used in angiography

1.Iopamidol 50 ml injection (ง) 1.Iobitridol 300 mg solution

17.2 Drugs used in myelography

1.Iopamidol 50 ml injection (ง) 1.Iobitridol 300 mg solution

18.Miscellaneous

18.1 Nootropics and neurotonics

- 1.Mecobalamin 500 mcg tab
- 2.Piracetam 1.2 gm tab
- 3.Piracetam 3 gm injection
- 4.Pyritinol 200 mg tab
- 5.Rivastigmine 10 mg patch
- 6.Vinpocetin 10 mg tab

18.2 Anti-Oedematus

- 1.Amorphous aescin 20 mg tab

18.3 Others

- 1.Nicotine 2 mg Chewing gum
- 2.K-Y gel

บัญชียาโรงพยาบาล

เภสัชตำรับโรงพยาบาลยโสธร

ยาน้ำรับประทาน

	ปริมาณที่บรรจุ	
1.Chloral Hydrate 100 mg/mL	50	ml
2.Citric Acid 30 % Solution	3000	ml
3.Coal Tar Shampoo 1%	240	ml
4.Gentian Violet 0.5%	50	ml
5.Glycerine borax	30	ml
6.Glycerine + Hydrogen peroxide (2.4%)	15,450	ml
7.Lugol's Solution	50	ml
8.Magnesium Sulfate Solution 50%	240	ml
9.Potasium Chloride Solution 3%	30,240,500	ml
10.Potasium Chloride Syrup 10%	30,240,500	ml
11.Potasium Citrate Syrup	240 500 1800	ml
12.Sodium Nitrate Solution	120	ml
13.Trichloroacetic acid 25 %	20	ml
14.Trichloroacetic acid 50 %	20	ml
15.Trichloroacetic acid 90 %	20	ml
16.Vitamin E drop 50 iu/ml	50	ml

ยาครีม (Cream) /Viscous

1.TA 0.1% in 10% Urea Cream	30,100	gm
2.TA 0.1% in 5% LCD Cream	30,100	gm
3.10%Urea Cream	30,100	gm
4.20%Urea Cream	30,100	gm
5.Xylocain Viscous 2%	30,500	gm
6.Zinc oxide pase	5	gm

ยาที่ใช้ภายนอก

	ปริมาณที่บรรจุ	
1. Acetic acid 2 % Solution	10	ml
2. Acid alcohol 1% Solution	450	ml
3. Chlorhexidine Mouthwash 0.12 %	500	ml
4. Citric acid 30 % Solution	3000	ml
5. Coal Tar shampoo 1%	120	ml
6. Ephedrine Nasal Drop 1%	10	ml
7. Gentian Paint 0.5% Solution	10	ml
8. Glycerin borax	30	ml
9. Glycerin borax	500	ml
10. Glycerin +hydrogenperoxide 2.4%	15	ml
11. Glycerin+hydrogenperoxide 2.4%	500	ml
12. Lidocain HCL 4% Solution	10	ml
13. Lugol' s solution	50	ml
14. Methylene blue 4%	5	ml
15. Sodium nitrate solution	120	ml
16. Sterile Sodium Chloride 5%	10	ml
17. Sodium thiosulfate 25 % Solution	30	ml
18. Sterile Trypan Blue 0.1% in BSS	5	ml
19. 0.1% Triamcinolone in 10% urea cream	30,100	gm
20. 0.1% Triamcinolone in 5% LCD cream	30,100	gm
21. Trichloroacctic acid Solution 25 % solution	10	ml
22. Trichloroacctic acid Solution 50 % solution	10	ml
23. Trichloroacctic acid Solution 90 % solution	10	ml
24. Xylocain Viscous 2 %	30	ml
25. Xylocain Viscous 2 %	500	ml
26. Zine Oxide Paste	5	gm
27. Trypan Blue 0.06% in BSS	5	ml
28. Trypan Blue 0.1 % in BSS	5	ml

น้ำยาฆ่าเชื้อ

	ปริมาณที่บรรจุ	
1.Acetic acid 5%	450	ml
2.Chlorhexidine 1:10 in alcohol (0.5% Hibitane)	200	ml
3.Chlorhexidine 1:10 in alcohol (0.5% Hibitane)	400	ml
4.Chlorhexidine 1:10 in Water (0.5% Hibitane)	400	ml
5.Chlorhexidine 1:10 in Water (0.5% Hibitane)	200	ml
6.Chlorhexidine 1:100 in Water (0.05% Hibitane)	1500	ml
7.Chlorhexidine 1:100 in Water (0.05% Hibitane)	400	ml
8.Chlorhexidine 2% in 70% Ethyl Alcohol	50	ml
9.Chlorhexidine 3% in Water	400	ml
10.Ethyl Alcohol 70%	450	ml
11.Ethyl Alcohol 80% Hand Sanitizer	450	ml
12.Formalin 10% (Neutral Buffered)	400	ml
13.Formalin 10% (Neutral Buffered)	5000	ml
14.Povidone Iodine 2% Mothwash	400	ml
15.Povidone Iodine Solution 1:10 (1%)	3000	ml
16.Povidone Iodine Solution 5%	200	ml
17.Sodium hypochlorite 1%	3000	ml
18.Sodium hypochlorite 2.5%	400	ml
19.Sodium hypochlorite 5%	400	ml
20.Triple dye solution	50	ml

ยาเตรียมเฉพาะราย (ยาน้ำรับประทาน)

	ปริมาณที่บรรจุ		ควรใช้ภายใน
1.Acetazolamide Suspension 10 mg/ml	50	ml	7 วัน
2.Acetazolamide Suspension 50 mg/ml	50	ml	7 วัน
3.Acyclovir suspension 20 mg/ml	60	ml	14 วัน
4.Allopurinol Suspension 10 mg/ml	60	ml	30 วัน
5.Aminophylline Solution 10 mg/ml	50	ml	30 วัน
6.Amiodarone Suspension 5 mg/ml	60	ml	30 วัน
7.Amlodipine Suspension 1 mg/ml	60	ml	30 วัน
8.Atenolol Suspension 2 mg/ml	50	ml	21 วัน
9.Captopril Suspension 1 mg/ml	50	ml	7 วัน
10.Carbamazepine Suspension 20 mg/ml	60	ml	30 วัน
11.Chloroquin phosphate Suspension 15 mg/ml	50	ml	30 วัน
12.Ciprofloxacin Suspension 50 mg/ml	60	ml	7 วัน
13.Clindamycin Suspension 20 mg/ml	60	ml	30 วัน
14.Dapsone Suspension 5 mg/ml	60	ml	30 วัน
15.Diazepam Suspension 1 mg/ml	60	ml	30 วัน
16.Enalapril Suspension 1 mg/ml	60	ml	30 วัน
17.Ethambutol Suspension 50 mg/ml	64	ml	30 วัน
18.Fluconazole Suspension 10 mg/ml	60	ml	15 วัน
19.Furosemide Solution 1 mg/ml	50	ml	42 วัน
20.Furosemide Solution 2 mg/ml	50	ml	42 วัน
21.Hydrochlorothiazide Suspension 10 mg/ml	60	ml	14 วัน
22.Itraconazole Suspension 10 mg/ml	60	ml	14 วัน
23.Ketoconazole Suspension 10 mg/ml	60	ml	7 วัน
24.Metoclopramide Solution 0.5 mg/ml	60	ml	30 วัน
25.Misoprostol Gel 25 mcg/0.5 ml	0.5	ml	24 hr
26.Oseltamivir Suspension 10 mg/ml	60	ml	10 วัน
27.Phenytoin Sodium 10 mg/mL	60	ml	30 วัน
28.Prednisolone Suspension 5 mg/ml	60	ml	30 วัน
29.Propranolol Suspension 2 mg/ml	60	ml	30 วัน
30.Pyrazinamide Suspension 40 mg/ml	50	ml	30 วัน
31.Rifampicin Suspension 30 mg/ml	60	ml	30 วัน
32.Sildenafil Suspension 2 mg/ml	50	ml	30 วัน
33.Spironolactone Suspension 10 mg/ml	60	ml	30 วัน
34.Spironolactone Suspension 2 mg/ml	50	ml	30 วัน

ยาเตรียมเฉพาะราย (ยานหยอดตา)

	ปริมาณที่บรรจุ		ควรใช้ภายใน
1.Amikacin Eye drop 20 mg/ml	10	ml	7 วัน
2.Amikacin Eye drop 50 mg/ml	10	ml	7 วัน
3.Amphotericin-B Eye drop 0.1%	10	ml	7 วัน
4.Amphotericin-B Eye drop 0.15%	10	ml	7 วัน
5.Amphotericin-B Eye drop 0.3%	10	ml	7 วัน
6.Atropine sulfate Eye drop 0.5%	10	ml	7 วัน
7.Ceftriazone Eye drop 50 mg/ml	10	ml	7 วัน
8.Cefazolin Eye drop 50 mg/ml	10	ml	7 วัน
9.Ceftazidime (Fortum) 50 mg/ml	10	ml	7 วัน
10.Clindamycin Eye drop 50 mg/ml	10	ml	7 วัน
11.Gentamicin Eye drop 15 mg/ml	10	ml	7 วัน
12.Gentamicin Eye drop 20 mg/ml	10	ml	7 วัน
13.Vancomycin Eye drop 50 mg/ml	10	ml	30 วัน
14.Sodium Chloride Eye drop 3%	10	ml	30 วัน
15.Sodium Chloride Eye drop 5%	10	ml	30 วัน
16.2.5%Phenylephrine+0.4%Tropicamide	10	ml	30 วัน

Sterile Products

1.Ephedrine Nasal drop 1%	10	ml
2.Methylene blue 4% Solution	5	ml
3.Trypan Blue 0.1% in Balance salt solution	5	ml

รายการยาควบคุมปริมาณการส่งจ่าย/ใบสั่งยา

ยาเม็ด

1. Paracetamol 500 mg	20	เม็ด
2. Morphine Tablet	14	วัน

ยาน้ำ

1. Alum milk 240 ml	4	ขวด
2. M.carminative 180 ml	5	ขวด
3. Brown mixture 180 ml	2	ขวด

ยาใช้ภายนอก

1. Analgesic Balm (30 กรัม)	1	หลอด
2. Diclofenac gel	2	หลอด
3. Proctosedyl Suppositories	24	เม็ด
4. Betamethasone 0.1% Cream	2 x 15	กรัม
5. Clobetasol 0.05% cream	4 x 5	กรัม
6. Clotrimazole cream	2 x 15	กรัม
7. Vislube® eye drop	60	หลอด/เดือน
8. Hypomellose (Natear®)eye drop	2	ขวด
9. Hista-Oph eye drop	2	ขวด

ยาพ่น

1. Berodual Inhaler	2	กล่อง
2. Ventolin Inhaler	2	กล่อง

อื่นๆ

1. Human erythropoietin 4000 u/vial	12	vial /เดือน
2. ORS	10	ซอง

บัญชียาโรงพยาบาล

ED	INDEX	NED
A		
Acetaminophen 120 mg/5 mL	6	Acetar-5 16
Acetaminophen 325 mg	6,7	Acetate's lactate solution inj 16
Acetaminophen 500 mg	6,7	Acetaminophen 250 mg suppo 6
Acetaminophen 60 mg/0.6mL	6	Acyclovir 5 % Cream 20
Acetazolamide 250 mg	18	Albumin 20 % 16
Acetic acid Solution 2 % ear drop	19	Alendronate 70 mg + Cholecalciferol 5600 iu 18
Acetylsalicylic acid 300 mg	3,7,17	Almitrine + Raubasine 6
Acetylsalicylic acid 81 mg	3	Alprazolam 0.5 mg 5
Acetylcysteine 300 mg/3 ml	22	Amino acid+Vit B co (B-Fluide) 1000 ml 16
Activated charcoal	22	Amorphous aescin 20 mg Tablet 23
Actrapid HM ^o (see Regular insulin)		Amoxicillin 200 mg +potassium clavulanate 28.5 mg syr 8
Acyclovir 400 mg	12	Andriol (see testosterone undecanoate) 13
Acyclovir eye ointment	10	
Acyclovir 500 mg inj. vial	18	
Adenosine 6 mg/2 ml	10	
Aethoxysklerol ^o (see Polidocanol)	2	
Albendazole 200 mg	1	
Albendazole 200 mg/5 mL	11	
Alcohol (see ethyl alcohol 70%)	11	
Alfuzosin 10 mg SR tab	12	
Allopurinol 100 mg	14	
Alphagan_P (see Brimonidine)	17	
Alteplase sterile pwdr	18	
Aluminium hydroxide	3	
Amikacin 250 mg/mL	1,17	
Amiloride + Hydrochlorothiazide 5/50 mg	9	
Amino acid 10% (Aminoven)	2	
Aminoleban	16	
Aminophylline 25 mg/ mL	16	
Amiodarone 200 mg	4	
Amiodarone 50 mg/ml	2	
Amitriptyline 10 mg	2	
Amitriptyline 25 mg	6,7	
Amlodipine 5 mg	6,7	
Amoxicillin 250 mg	3	
Amoxicillin 500 mg	8	
Amoxicillin 250 mg/5 ml	8	
Amoxicillin 875 mg+Clavulanic acid 125 mg tablet	8	
Amoxicillin 1000 mg + potassium clavulanate 200 mg injection	8	
Amphotericin-B 50 mg	10	
Amphotericin-B 0.1%, 0.3% eye drop	18	
Ampicillin 1 gm	8	
Ampicillin 500 mg	8	

บัญชียาโรงพยาบาล

ED	INDEX	NED
Antazoline +Tetrahydrozoline	18	
Antivenom sera branded krait	22	
Antivenom sera cobra	22	
Antivenom sera green pit viper	22	
Antivenom sera king cobra	22	
Antivenom sera malayan pit viper	22	
Antivenom sera russell's viper	22	
Antivenom sera Malayan krait	22	
Artane® (see Trihexyphenidyl)	8	
Ascorbic acid (see Vitamin C)	16	
Aspirin (see Acetylsalicylic acid)	3,6,17	
Atarax® (see Hydroxyzine)	4,5	
Atazanavir	11	
Atenolol 50 mg	2	
Ativan® (see Lorazepam)	5	
Atorvastatin 40 mg	4	
Atropine sulfate 0.6 mg/ml	2,21	
Atropine sulfate drop 1%	18	
Atropine sulfate drop 0.5%	18	
Azathioprine 50 mg	14,17	
Azithromycin 200 mg/5 ml dry syrup	9	
B		
Bacillus Calmette-Gue"rin BCG Injection	14,21	B-Fluid 1000 ml 16
Baclofen 10 mg	8,17	Beraprost sodium 20 mcg 3
Bactrim® (see Co-trimoxazole)	9	Benadryl® 5
Balanced salt for ophthalmic	19	Betahistine dihydrochloride 24 mg 6
Benzathine benzylpenicillin G 1.2 mu	8	Bicalutamide 50 mg 14
Benzyl benzoate 25%	20	Brimatoprost+Timolol (Ganfort PF®) 18
Benzyl penicillin (PGS) 5 mu	8	Bromhexine 4 mg/5 ml Elixir 5
Benztropine	22	Bromhexine 8 mg 5
Beractant 25mg/ml (8ml)	5	
Berodual® (see Ipratropium + Fenoterol)	4	
Besylate® (see cisatracurium)	21	
Betahistine 6 mg	6	
Betamethasone 0.1%	20	
Bevacizumab 100 mg/4 ml injection	19	
Bisacodyl 10 mg Suppository tablet	1	
Bisacodyl 5 mg	1	
Bismuth subsalicylate 1048 mg	1	
Brimonidine tartate 0.2%	18	
Bromocriptine 2.5 mg	8,13	
Brown Mixture 180 mL	5	
Bupivacaine HCl 0.5%	22	
Bupivacaine HCl 0.5% heavy	22	

บัญชียาโรงพยาบาล

ED	INDEX	NED
C		
Cafergot* (see Ergotamine+caffeine)	7	Carboxymethylcysteine 100 mg/5 ml syr 5
Calamine	20	Calcitonin nasal spray 200 IU 13
Calcipotriol 50 mcg/g ointment	20	Cefdinir 100 mg 8
Calcitriol 0.25 mcg tab	16	Cefdinir 125 mg/ 5 ml susp 8
Calcium carbonate 625 mg	16	Celecoxib 200 mg Capsule 17
Calcium carbonate 1,250 mg	16	Cilostazol 100 mg SR 3
Calcium folinate 50 mg/5 ml	22	Cinacalcet hydrochloride 25 mg 13
Calcium gluconate 100 mg	16,22	Controloc (see Pantoprazole) 1
Calcium polystyrene sulfonate	16	Cytotec® (see Misoprostol 200 mcg) 1,13
Capecitabine 500 mg	14	
Captopril 25 mg	3	
Capsaicin 0.025% gel	17	
Carbamazepine 200 mg	6,7	
Carminative mixture	1	
Carvedilol 6.25 mg tab	2	
Cefazolin 1 gm	9	
Cefoperazone+Sulbactam 1000 /500 Injection	9	
Cefotaxime 1 gm	9	
Cefoxitin 1 gm	9	
Ceftazidime 1 gm	9	
Ceftriaxone 1 gm	9	
Cephalexin 125 mg/ 5 ml	9	
Cephalexin 500 mg	9	
Cetirizine 10 mg	4	
Chloral Hydrate Oral sol 100 mg/ml 50 ml	5	
Chloramphenicol 1 % eye oint	18	
Chlorhexidine gluconate 4%	12	
Chlorhexidine gluconate 5%	12	
Chlorhexidine Mouthwash 0.12 % 450 ml solution	19	
Chlorpheniramine 4 mg	4	
Chlorpheniramine 10 mg /ml	4	
Chlorpheniramine 2 mg/5ml	4	
Chlorpromazine 100 mg	5	
Chlorpromazine 25 mg/ml	5	
Chlorpromazine 50 mg	5	
Cholestyramine oral powder	1,4	
Chrorionic gonadotrophin (HCG)	13	
Ciprofloxacin 250 mg	9	
Ciprofloxacin 200 mg inj	9	
Cisatracurium	21	
Clarithromycin 500 mg	9	
Clindamycin 150 mg	9	
Clindamycin 150 mg/ml	9	
Clobetasol propionate 0.1%	20	
Clonazepam 2 mg	5,7,8	

บัญชียาโรงพยาบาล

ED	INDEX	NED
Clopidogrel 75 mg	3	
Clotrimazole 100 mg Vaginal tablet	13	
Clotrimazole 1% ear drop Solution	19	
Cloxacillin 1 gm	8	
Clozapine 25 mg	5	
Clozapine 100mg	5	
Codeine phosphate 10 mg	5	
Colchicine 0.6 mg	17	
Colistimethate sodium	9	
Coal tar shampoo	20	
Conjugated estrogen 0.625 mg tab	13	
Cosopt®	19	
Co-trimoxazole 40/200 mg/5ml Suspension	9	
Co-trimoxazole 80/400 mg	9	
Co-trimoxazole 80/400 mg/5 ml	9	
Cyclophosphamide 50 mg	14	
Cyclophosphamide 1,000 mg	14,22	
Cyclopentolate HCl 1% eye drop	18	
Cycloserine 250 mg cap	10	
Cyclosporin (Restasis®) 0.05%	18	
Cyproheptadine 4 mg	7	
D		
D-10-NSS/2	15	Danazol 200 mg 13,14
D-10-NSS/5	15	Dextran-40 10% 500 ml 16
D-10 W	15	Diclofenac 1% 17
D-5-S	15	Diosmine 500 mg 1
D-5-S/2	15	Duxaril® (see Almitrine + Raubasine) 6
D-5-S/3	15	Dorzolamide 2%+Timolol 0.5%(Cosopt®) 19
D-5-S/5	15	Donor® (see Beraprost sodium 20 mcg) 3
D-5-W	15	Dydrogesterone 10 mg tab 13
Dactinomycin 500 mcg/ml injection	14	Dynastat® (see Parecoxib Sodium) 17
Dapsone 100 mg tab	10	
Deferiprone 500 mg tab	15	
Deferoxamine mesilate sterile pwdr	15,22	
DEPO® (see Medroxyprogesterone acetate)	13	
Desmopressin acetate 0.1 mg/ml Intranasal spray	13	
Dexamethasone 4 mg tab	12,14	
Dexamethasone 4 mg/ml	12,14	
Dexamethasone+Neomycin +Polymixin B	18	
Dexamethasone+neomycin (Dex oph®)	18	
Dextromethorphan 15 mg	5	
Diazepam 2 mg		5,8,17,21
Diazepam 5 mg		5,8,17,21
Diazepam 10 mg / 2ml		5,8,17,21,22
Diclofenac 25 mg	17	
Diclofenac sodium 0.1% eye drop	19	

บัญชียาโรงพยาบาล

ED	INDEX	NED
Dicloxacillin 250 mg	8	
Dicloxacillin 62.5 mg/5 ml syr	8	
Dicyclomine 10 mg	1	
Didanosine 125 mg tab	11	
Didanosine 250 mg tab	11	
Digoxin 0.05 mg/ml elixir	2	
Digoxin 0.25 mg tablet	2	
Digoxin 0.25 mg/ml inj	2	
Dilantin® (see Phenytoin)	7	
Diltiazem 30 mg	3	
Dimenhydrinate 50 mg tablet	6	
Dimenhydrinate 50 mg/ml	6	
Dipotassium clorazepate 5 mg	5	
Diphtheria antitoxin 20,000 iu	21	
Diphtheria-Tetanus vaccine dT (adult type)	21	
Dobutamine HCl 250 mg	3	
Domperidone 1 mg/ml	1,6	
Domperidone 10 mg	1,6	
Dopamine 250 mg/10 ml	3	
Dormicum® (see Midazolam)	8,21	
Doxazosin 2 mg	2,14	
Doxorubicin 50 mg/25 ml	14	
Doxycycline 100 mg	9	
Dorzolamide 2% eye drop	19	
E		
Efavirenz	11	Encephabol® (see Pyritinol) 23
Eltroxin® (see Thyroxine sodium)	12	Estradiol 1 mg + Drospirenone 2 mg Tablet 13
Enalapril 5 mg	2	Etoricoxib 90 mg Tablet 17
Enalapril 20 mg	2	Exelon (See Rivastigmine) 23
Endoxan® (see Cyclophosphamide)	14	Ezetimibe 10 mg tab 4
Enoxaparin 60 mg/0.6 ml	3	
Entacapone 200 mg tab	8	
Ephedrine sulfate 30 mg/ml	3	
Ephedrine 1% nasal drop	19	
Epinephrine 1 mg/ml	3	
Epoetin alfa 4000 IU	15	
Ergotamine + Caffeine 1/100 mg	7	
Ertapenem 1 g	9	
Erythromycin 125 mg/5 ml	9	
Estrogen 0.625 mg	13	
Ethambutol 400 mg	10	
Ethyl alcohol 70 %	12	
Ethionamide 250 mg tab	10	
Etonogestrel implant 68 mg/rod	13	

บัญชียาโรงพยาบาล

ED	INDEX	NED
F		
Fat emulsion 20 %	16	Fexofenadine Hcl 180 mg 4
Febuxostat 80 mg	17	Flunarizine 5 mg 7
Fenofibrate 200 mg tablet	4	
Fentanyl citrate 0.05 mg/mL	7,21	
Fentanyl transdermal 25 mcg/h	7	
Ferrous Fumarate	17	
Ferric hydroxide sucrose 100 mg/ml	15	
Fibrogel®(see Ispaghula husk)	1	
Filgrastim 300 mcg injection	15	
Finasteride 5 mg	14	
Fluconazole 200 mg	10	
Fluorometholone 0.1 % (FML®)	18	
Fluorouracil 50 mg/ml (5-FU)	14	
Fluoxetine HCl 20 mg	6	
Fluphenazine decanoate 25 mg/mL	5	
Fluticasone furoate 27.5 mcg/dose nasal spray	19	
Fluticasone propionate evo 125 mcg/dose (120 doses)	4	
Fluticasone+Salmeterol(250+50mg)Accuhal	4	
Fluticasone+Salmeterol(250+25 mg)Evohale	4	
Fluticasone+ Salmeterol(50+25 mg)Evohale	4	
Folic acid 5 mg	15,16	
Furosemide 250 mg /25 ml	2	
Furosemide 20 mg /2 ml	2	
Furosemide 40 mg	2	
Furosemide 500 mg	2	
Fusidic acid	9,18	
G		
Gabapentin 400 mg	7	Gentamicin 0.1 % cream 20
Glargine insulin (Lantus®) 300 u/ml 1.5 ml	12	Genteal gel (see Hypomellose 0.3%) 19
Gemfibrozil 600 mg	4	Glyceryl trinitrate pad (NTG) 3
Gentamycin 14 mg/ml, 15 mg/ml eye drop	18	Glycerosteril 10 % 16
Gentamycin 10 mg/ml Injection	9	Glucose 7.5% (Glucolyte-2) 16
Gentamycin 40 mg/ml Injection	9	
Gentian Paint 0.5% Solution 10 ml	24	
Glipizide 5 mg Tablet	12	
Gluco-oph® (see Timolol drop 0.5%)	18	
Glucose 50% Injection	15	
Glycerin borax	19,24	
Glycerin +hydrogenperoxide 2.4%15 ml	24	
Glycerin+hydrogenperoxide 2.4%500 ml	24	
Glyceryl guaiacolate syr	5	
Glyceryl trinitrate 50 mg/10 ml Injection	3	
Griseofulvin 500 mg	10	

บัญชียาโรงพยาบาล

ED	INDEX	NED
H		
Haloperidol 0.5 mg tablet	5	Hydroxyethyl starch (Voluven®) 16
Haloperidol 2 mg tablet	5	Harnal® (see Tamsulosin HCl) 14
Haloperidol 5 mg/ml inj	5	Human Albumin 20% 16
Haloperidol 5 mg tablet	5	Hypomellose 0.3% eye gel (Genteal gel) 19
Haloperidol 2mg/ml Solution (drop)	5	
Hepatitis-B immunoglobulin (HBIG)	21	
Hepatitis-B vaccine	21	
Heparin sodium 5,000 unit/ml	3	
Hista-oph® (see Antazoline +Tetrahydrozoline)	18	
Human erythropoietin alfa 4,000 iu Injection	15	
Human rabies immunoglobulin Injection (HRIG)	21	
Hydralazine 25 mg	2	
Hydralazine 20 mg injection	2	
Hydrochlorothiazide 50 mg	2	
Hydrocortisone 100 mg/5 ml	13	
Hydrogen peroxide 6%	12	
Hydroxychloroquine 200 mg tablet	17	
Hydroxyzine 10 mg tablet	4,5	
Hydroxyzine 10 mg / 5 ml syr.	4,5	
Hyoscine-N-butylbromide 20 mg/ml inj.	1	
Hyoscine-N-butylbromide 5 mg/5 ml syr.	1	
Hypomellose eye drop	19	
I		
Ispaghula husk (Fibrogel®)	1	Iobitridol 300 mg/ml solution 23
Ibuprofen 100 mg/ 5 ml	6,17	
Ibuprofen 200 mg	6,7,17	
Ibuprofen 400 mg	6,7,17	
Imipinem 500 mg + Cilastatin 500 mg	9	
Imipramine 25 mg	6	
Insulin Aspart 30%+Insulin Aspart protamine 70% 100 unit/ml (Novomix®)	12	
Influenza vaccine	21	
Iopamidol 50 ml inj.	23	
Ipratropium + Fenoterol	4	
Isoniazid 100 mg	10	
Isophan Insulin (NPH) 100 unit/ml	12	
Isosorbide dinitrate 10 mg	3	
Isosorbide dinitrate 5 mg Sublingual tablet	3	
Itraconazole 100 mg	10	
Ivermectin 6 mg	12,20	
J		
Japanese encephalitis (JE)	21	

บัญชียาโรงพยาบาล

ED	INDEX	NED
K		
Kabiven SMOF® Peripheral	16	K-Y gel 23
Kalimate® (see calcium polystyrene sulfonate	16	Ketorolac Tromethamine 30 mg/ml 17
Kanamycin sulfate sterile pwdr	10	
Kapanol® (see Morphine 20 mg)	7	
Kenalog® (TA in oral base 0.1%)	19	
Ketamine 50 mg /ml	21	
Ketoconazole 200 mg	10	
L		
Labetalol 100 mg/20 ml inj.	2	Levocetirizine 5 mg 4
Lactulose 10 gm/15 ml	1	Levofloxacin 1.5% eye drop 18
Lamivudine 150 mg (3TC)	11	Lyrica®(see Pregabalin 75 mg) 7
Lamivudine 300 mg (3TC)	11	Levo-bupivacaine 5 mg/ml 22
Lamivudine 10 mg/ml (3TC)	11	
Latanoprost 0.005% eye drop	18	
Letrozole 2.5 mg	14	
Lercanidipine 20 mg	3	
Leucovorin® (see Calcium folinate)	22	
Leuprorelin acetate 22.5 mg injection	14	
Leviteracetam 500 mg SR tab	7	
Levofloxacin 500 mg	9	
Levofloxacin 750 mg injection	9	
Levodopa + carbidopa 250/25	8	
Levonorgestrel + Ethinylestradiol 150/30 mcg	13	
Levothyroxine 0.1 mg	12	
Lidocaine HCl 2% inj.	22	
Lidocaine HCl 2% gel	22	
Lidocaine HCl 1% inj	22	
Lidocaine HCl 10% spray	22	
Lidocaine / Epinephrine 1%	22	
Lidocaine / Epinephrine 2%	22	
Lidocain HCL Solution 4%	24	
Lithium carbonate 300 mg cap	6	
Loperamide 2 mg	1	
Lopinavir 200 mg + Ritonavir 50 mg	11	
Lopinavir 80 mg + Ritonavir 20 mg	11	
Loratadine 10 mg	5	
Loratadine 5 mg/5 ml syr.	5	
Lorazepam 1 mg	5	
Losartan 50 mg	3	
Lugol's solution	24	
Lynestrenol 0.5 mg (Exluton®)	13	
M		
Magnesium sulfate 50 % solution (Hosp)	24	Magesto® (see สูตรยาเม็ดช่วยย่อย) 1
Magnesium sulfate 10%	2,7,16	Mecobalamin 500 mcg 23

บัญชียาโรงพยาบาล

ED	INDEX	NED
Magnesium sulfate 50%	2,7,17	Mefenamic acid 500 mg 17
Mannitol 20%	2	Meloxicam 7.5 mg 17
Marcain heavy®(see Bupivacain 0.5% Heavy)	22	Miacalcic® (see Salmon calcitonin 200 iu/dose) 13,18
Marcain spinal® (see Bupivacain 0.5%)	22	Misoprostol 200 mcg 1,13
Maxitrol® (see Dexamethasone+ Neomycin + PolymixinB)	18	Mometasone 50 mcg 19
Measles-mumps-rubella (MMR)	21	Moxifloxacin 0.5% eye drop 18
Mebeverine HCl 135 mg	1	
Meptin® (see Procaterol HCl)	4	
Meropenem trihydrate 1 gm	9	
Mestinon® (see Pyridostigmine)	17	
Medroxyprogesterone acetate 50 mg/ml Injection	13	
Metformin 500 mg	12	
Methylphenidate 10 mg tab	6	
Methotrexate 50 mg/2ml	14,17	
Methotrexate 2.5 mg	14,17,20	
Methylergometrine 0.2 mg/ml	13	
Metoclopramide 10 mg	1,6	
Metoclopramide 5 mg /ml	1,6	
Metoprolol Tartrate 100 mg	2	
Methimazole 5 mg tab	12	
Methyldopa 250 mg	2	
Methyl salicylic cream	17	
Metronidazole 400 mg	9,11	
Metronidazole 500 mg/100 ml inj.	9,11	
Microgynon® (see Levonorgestrel+ Ethinylestradiol 150/30mg)	13	
Midazolam 5 mg/ml	8,21	
Milk of magnesia (MOM)	1	
Minirin® (see Desmopressin acetate 0.1 mg/ml)	13	
Mitomycin-C 2 mg	14	
Mixtard-HM® (see Soluble+ Isophane insulin 30/70)	12	
Mixtard penfill® (see Soluble+ Isophane insulin 30/70)	12	
Moduretic® (see Amiloride + Hydrochlorothiazide)	2	
Montelukast 10 mg	4	
Morphine 10 mg/ml inj.	7,21	
Morphine 10 mg IR tab	7	
Morphine 20 mg cap (Kapanol)	7	
Morphine 30 mg PR tab (MST)	7	
Morphine 2 mg/ml 60 ml	7	
Multiple trace element solution Injection	16	

บัญชียาโรงพยาบาล

ED	INDEX	NED
Multivitamin syr, tab, drop	16	
Multivitamine inj (OMVI)	16	
Mupirocin 2% ointment	20	
Mycophenolate mofetil 250 mg	14	
N		
Naloxone HCL 0.4 mg/ml Inj	22	Nasonex ^o (see Mometasone nasal spray) 19
Naproxen 250 mg	17	Nicotine 2 mg Chewing gum 23
Natear ^o (Hypomellose)	19	Nifedipine 5 mg 3
Neostigmine 2.5 mg/ml	17,22	Nootropil ^o (see Piracetam) 23
Neurontin ^o (see Gabapentin)	7	Norflex ^o (see Orphenadrine citrate slow released) 17
Nevirapine tab, susp	11	
Nicardipine 2 mg/ 2 ml	3	
Niclosamide 500 mg	11	
Nifedipine 20 mg	3	
Nizoral ^o (see Ketoconazole)	10	
Norepinephrine bitartrate 4 mg/4 ml	3,22	
Norethisterone 5 mg (Primolut-N ^o)	13	
Norfloxacin 100 mg	9	
Norfloxacin 400 mg	9	
Nortriptyline 25 mg Tablet	6,7,8	
NPH Insulin (see Isophane)	12	
NSS 0.45 %	15	
NSS 0.9 %	15	
NSS 3%	15	
Nystatin 100,000 iu/ml	10,19	
O		
Octreotide ^o	1	0.55% Ortho-phthalaldehyde 12
O. R. S	1	Orphenadrine citrate 100 mg SR 17
Ocusol ^o (see Balanced salt for ophthalmic)	19	Oxytetracycline 0.5% + Polymyxin B 18
Ofloxacin 200 mg	9	
Ofloxacin 3 mg/ml ear drop	19	
Olive oil	20	
Olopatadine HCl 0.1% eye drop	18	
Omeprazole 20 mg	1	
Omeprazole 40 mg inj	1	
Ondansetron HCl 8 mg	6	
Ondansetron HCl 8 mg inj	6	
Oseltamivir	10	
Oxaliplatin 100 mg injection	14	
Oxybutynin hydrochloride 5 mg tab	14	
Oxymetazoline HCl 0.25 mg/ml	19	
Oxytocin 10 iu/ml	13	

บัญชียาโรงพยาบาล

ED	INDEX	NED
P		
Paclitaxel 300 mg/50 ml injection	14	Pantoprazole 20 mg tab 1
Pantoprazole 40 mg inj.	1	Parecoxib sodium 40 mg inj. 17
Paracetamol (see Acetaminophen)	6,7	Pentoxifylline 400 mg tablet 3
Para-aminosalicylic acid(PAS) 500 mg tab	10	Phenobarbital 20 mg/5ml 7
Peditrace® (see Multiple trace mineral soluti	16	Phenylephrine drop 5% + Tropicamide 0.8% 18
Penicillin G Sodium (see Benzyl penicillin)	8	Piracetam 3 gm Injection 23
Periactin® (see Cyproheptadine)	7	Piracetam 1.2 gm 23
Perphenazine 4 mg	5	Pirebedil 50 mg 8
Perphenazine 8 mg	5	Pletaal (see Cilostazol) 3
Pethidine 50 mg/mL	7,21	Potassium + Sodium + Citrate (Uralyte®) 14
Phenobarbital sodium 30 mg	7	Pregabalin 25 mg 7
Phenobarbital sodium 60 mg	7	Pregabalin 75 mg 7
Phenoxymethyl penicillin 250 mg	8	Progesterone 200 mg 13
Phenytoin sodium 50 mg/ml	8	Prothionamide 250 mg tablet 10
Phenytoin sodium 100 mg	7	Pyritinol 200 mg 23
Phospha soda (Swiff®)	1	4.Tropicamide 1% eye drop
Phytomenadione 1 mg/0.5 ml (Vitamin K)	16	
Phytomenadione 10 mg/ml (Vitamin K)	16,22	
Pioglitazone hydrochloride 30 mg tab	12	
Pilocarpine 2% eye drop	18	
Piperacilin+Tarzobactam 4.5g	8	
Piroxicam 10 mg	17	
Polidocanol 1%	1	
Polio vaccine	21	
Poly-oph® (see Polymycin+Neo+Gramicidin)	18	
Potassium chloride 3%	15	
Potassium chloride 10%	15	
Potassium chloride 40 meq/10 ml	15	
Potassium chloride 500 mg	15	
Potassium permanganate powder	12	
Povidone iodine 10%	12	
Povidone iodine 7.5%	12	
Pralidoxime 1 gm	22	
Praziquantel 600 mg	12	
Prazosin HCl 2 mg	2	
Prednisolone 5 mg	12	
Prednisolone acetate drop 1%	18	
Premarin®(see Estrogen)	12	
Primaquine 7.5 mg	11	
Procaterol HCl syr.	4	
Proctosedyl 5 mg rectal suppo	1	
Propofol 10 mg/ml	21	
Propranolol 10 mg	2,7,8	
Propylthiouracil 50 mg	12	
Pseudoephedrine 30 mg	5	
Pyrazinamide (PZA) 500 mg	10	
Pyridostigmine 60 mg	17	

บัญชียาโรงพยาบาล

ED	INDEX	NED
Q		
Quinine 300 mg/ml	11	Quetiapine 25 mg tab 5
Quinine 300 mg tablet	11	
R		
Rabies vaccine	21	Rabeprazole 20 mg tab 1
Rabies immunoglobulin, horse (ERIG)	21	Rivastigmine 10 mg Transdermal patch 23
Rabies immunoglobulin, human (HRIG)	21	
Regular insulin 100 iu/ml	12	
Rifampicin 300 mg	10	
Rifampicin 450 mg	10	
Ringer's Lactate Solution	15	
Risperidone 2 mg	6	
Ritonavir 100 mg	11	
Roxithromycin 150 mg	9	
Rubbing alcohol 70%	12	
S		
Salicylic acid+Lactic acid colloidal sol	21	Salmon calcitonin 200 iu/dose 18
Salbutamol 2 mg	4	Seroquel® (see Quetiapine fumarate) 5
Salbutamol 0.1 mg/ puff.	4	Sibilium® (see Flunarizine) 7
Salbutamol 2 mg/ 5 ml	4	Sitagliptin 100 mg tab 12
Salbutamol nebulas 1 mg/ ml	4	Sodium chloride powder for irrigate 2.265 g 15
Salmeterol + Fluticasone (Seretide®)	4	Sodium hyaluronate 18 mg (Vislube®) 19
Senna 7.5 mg (Senokot®)	1	
Sertraline 50 mg	6	
Sevoflurane (Sevorane®)	21	
Sildenafil 50 mg	3	
Silver Sulfadiazine 1% cream	20	
Simethicone 40 mg/0.6 mL	1	
Simethicone 80 mg	1	
Simvastatin 20 mg	4	
Sinemet® (see Levodopa + carbidopa)	8	
Sodium bicarbonate 300 mg (Sodamint)	15	
Sodium bicarbonate 7.5%	15,22	
Sodium chloride 3% (see NSS 3%)	15	
Sodium chloride 0.9% for irrigation	19	
Sodium phosphate (Swift®) solution	1	
Sodium hypochlorite 5 % sol (hosp)	20	
Sodium nitroprusside 50 mg/5ml	2	
Sodium thiosulfate	20	
Sodium valproate 200 mg CR	6,7	
Sodium valproate 500 mg SR	6,7	
Sodium valproate 200 mg/ml syr	6,7	
Sodium valproate 400 mg inj	8	
Sodium fusidate 250 mg tab	9	
Soluble+Isophane insulin 30/70	12	
Soluble+Isophane insulin 30/70 Penfill	12	

บัญชียาโรงพยาบาล

ED	INDEX	NED
Special mouth wash	19,24	
Spirolactone 25 mg	2	
Stavudine	11	
Streptokinase 1.5 mu	3	
Streptomycin sulfate 1 gm	9,10	
Sucralfate 1 gm	1	
Sulfamethoxazole + trimethoprim(see Co-trimoxazole)	9	
Sulperazon ^o (see Cefoperazone + Sulbactam)	9	
Sulprostone 500 mcg injection	13	
Survanta ^o (see Beractant)	5	
Suxamethonium chloride 500 mg injection	21	
T		
Tamoxifen 20 mg	14	Tamsulosin HCl 0.2 mg 14
Tenofovir disoproxil fumarate		Terramycin ^o (see Polymycin B+ 18
	11	Oxytetracycline 0.5%)
Terbutaline 0.5 mg/ ml	4,13	Testosterone undecanoate 13
Terbutaline 2.5 mg	4,13	Thiamphenicol 500 g. 9
Terco-C ^o (see Codeine)	5	Tolperisone 50 mg 17
Tetanus immunoglobulin 250 iu (Tetagam ^o)	21	Tolperisone 150 mg 17
Tetracaine hydrochloride eye drop	19	Trospium chloride 20 mg tab 14
Theophylline 200 mg controlled released	4	Trental ^o (see Pentoxifylline) 3
Theophylline 50 mg/5 ml	4	
Thiopental sodium 1 gm	21	
Thioridazine HCl 100 mg	6	
Thyroxine sodium (L-form) 0.1mg	12	
Ticagrelor 90 mg tab	3	
Timolol eye drop 0.5 %	18	
Tiotropium bromide 18 mcg cap	4	
Topiramate 50 mg	7,8	
Tramadol HCl 100 mg/2 mL	7	
Tramadol HCl 50 mg	7	
Tranexamic acid 250 mg	4	
Tranexamic acid 50 mg/ml	4	
Trazodone 50 mg	6	
Triamcinolone acetonide 0.02 % cream	20	
Triamcinolone acetonide 0.1% cream,lotion	20	
Triamcinolone acetonide 10 mg/ml inj	12	
Triamcinolone in oral base 0.1%	19	
Trichloroacetic acid sol	20	
Triferdine ^o (Ferrous+Iodine+folic)	17	
Trihexyphenidyl 2 mg	8	
Trihexyphenidyl 5 mg	8	
Trifluoperazine 5 mg	5	
Trifluoperazine 10 mg	6	

บัญชียาโรงพยาบาล

ED	INDEX	NED
Tropicamide 1% eye drop	18	
Tuberculin test	10	
Tussis	5	
U		
Ultracarbon® (see Activated charcoal)	22	Uralyte® (see Potassium + Sodium+ Citrate) 14
Urea cream (hosp)	20	Unison enema® (NaCl 15%+Thymol 0.001%+ Glycolpolyaetylenum 5%) 1
V		
Vancomycin HCl 500 mg	9	Valsartan 80 mg 3
Ventolin® (see Salbutamol)	4	Vigamox® (See moxifloxacin) 18
Verapamil 40 mg	3	Vinpocetin 10 mg. 23
Viagra® (see Sildenafil)	3	Voluven® 16
Vitamin B1 50 mg/ ml	16	Vislube® (see Sodium hyaluronate 18 mg) Solution 19
Vitamin B1 100 mg	16	
Vitamin B 6	16	
Vitamin B 12	16	
Vitamin B-complex	16	
Vitamin C 100 mg tablet	16	
Vitamin D2 20,000 iu	16	
Vitamin D3 0.25 mcg	16	
Vitamin E 50 iu/ml syr	16	
Vitamin K (see Phytomenadione)	16,22	
W		
Warfarin sodium 2 mg	3	
Warfarin sodium 3 mg	3	
White petrolatum oint (hosp)	20	
X		
Xalatan® eye drop (see Latanoprost)	18	
Xeloda® (see Capecitabine)	14	
Y		
Z		
Zidovudine	11	Zovirax cream® (see Acycovir 5% cream) 20
Zinc oxide oint, paste	20	
Zovirax® (see Acyclovir tablet ,eye ointment)	10,18	
Zyrtec® (see Cetirizine)	4	